

## Goat Anti-Human IgG Affinity Purified pAb

<b>Catalog No.</b>	PS100	<b>Quantity:</b>	1.0 mg
<b>Alternate Names:</b>	Immunoglobulin G		
<b>Description:</b>	Goat Anti-Human IgG Affinity Purified polyclonal antibody		
<b>Concentration:</b>	1.0 mg/ml		
<b>Specificity:</b>	Human IgG		
<b>Host:</b>	Goat		
<b>Formulation:</b>	Liquid in 50% glycerol + 0.1 M NaCl + 0.01 M sodium phosphate, pH 7.5		
<b>Purification:</b>	Biospecific affinity chromatography		
<b>Cross-Reactivity:</b>	No cross-reactivity with human IgM and IgA in ELISA. No cross-reactivity with albumin fraction of human serum. No cross-reactivity with albumin fraction of other animal species.		
<b>Applications:</b>	ELISA (as secondary antibody) Dot Blot (as secondary antibody)		
<b>Application Notes:</b>	For ELISA, use a working dilution of 1:1,000. For Dot Blot, use a working dilution of 1:100. The optimal concentration should be determined by the user for each specific application.		
<b>Storage &amp; Stability:</b>	Store undiluted at 2-4°C or in working aliquots at -20°C for long term storage. <b>Avoid repeated freeze-thaw cycles.</b>		

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

