

RPA085Mu01 10µg

Recombinant Leukemia Inhibitory Factor (LIF)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residuess: Pro25~Phe203

Tags: N-terminal His Tag

Tissue Specificity: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.1

Predicted Molecular Mass: 21.3kDa

Accurate Molecular Mass: 21kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

PLPITP VNATCAIRHP CHGNLMNQIK
 NQLAQLNGSA NALFISYYTA QGEPFPNNVE KLCAPNMTDF PSFHGNGTEK
 TKLVELYRMV AYLSASLTNI TRDQKVLNPT AVSLQVKLNA TIDVMRGLLS
 NVLCRLCNKY RVGHVDVPPV PDHSDKEAFQ RKKLGCQLLG TYKQVISVVV
 QAF

[IDENTIFICATION]




Figure. SDS-PAGE