

**RPA537Hu01 10µg**

**Recombinant Enolase, Neuron Specific (NSE)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

## **[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Met1~Leu434

**Tags:** N-terminal His Tag

**Subcellular Location:** Membrane, Cytoplasm

**Purity:** > 90%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% sarcosyl, 5%Trehalose.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 5.1

**Predicted Molecular Mass:** 49.0kDa

**Accurate Molecular Mass:** 50kDa as determined by SDS-PAGE reducing conditions.

## **[ USAGE ]**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## **[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**


|             |            |            |            |            |
|-------------|------------|------------|------------|------------|
| MSIEKIWARE  | ILDSRGNPTV | EVDLYTAKGL | FRAAVPSGAS | TGIYEALFLR |
| DGDKQRYL GK | GVLKAVDHIN | STIAPALISS | GLSVVEQEKL | DNLMLELDGT |
| ENKSKFGANA  | ILGVSLAVCK | AGAAERELPL | YRHIAQLAGN | SDLILPVPAF |
| NVINGGSHAG  | NKLAMQEFMI | LPVGAESFRD | AMRLGAEVYH | TLKGVIKDKY |
| GKDATNVGDE  | GGFAPNILEN | SEALELVKEA | IDKAGYTEKI | VIGMDVAASE |
| FYRDGKYDLD  | FKSPTDPSRY | ITGDQLGALY | QDFVRDYPVV | SIEDPFDQDD |
| WAAWSKFTAN  | VGIQIVGDDL | TVTNPKRIER | AVEEKACNCL | LLKVNQIGSV |
| TEAIQACKLA  | QENGWGMVMS | HRSGETEDTF | IADLVVGLCT | GQIKTGAPCR |
| SERLAKYNQL  | MRIEEELGDE | ARFAGHNFRN | PSVL       |            |

**[ IDENTIFICATION ]**

ATGTGTCATGAGAGAGATCTGGGCGGGGAGATCTGGATCTCGCGGGAGCCCCAGCTGGAGGTGGATCTCTATATGCGAAGGCTCTTTTTCGCGCTGAGTGCGGAGTGGAGCTCTAGCGGATCTATGAGGCTGGAGCTGAGGAGTGGAGCAAAAGGTTACTTAGCCAAAGGTGTCTTGAGGAGTGGAGCCATCAA  
 M S I E K I V A R E I L D S R G N P T V E V D L Y T A K G L F R A A V P S G A S T G I Y E A L E L R D G D K Q R Y L G K G V L K A V D H I N



### Figure. Gene Sequencing (Extract)



**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.