

RPA537Ra01 10µg

Recombinant Enolase, Neuron Specific (NSE)

Organism Species: *Rattus norvegicus* (Rat)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ser2~Leu434

Tags: N-terminal His Tag

Subcellular Location:

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.3

Predicted Molecular Mass: 48.5kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

SIQKIWARE ILDSRGNPTV EVDLHTAKGL FRAAVPSGAS TGIYEALELR
DGDQRYLGK GVLKAVDHIN STIAPALISS GLSVVEQEKL DNLMLELDGT
ENKSKFGANA ILGVSLAVCK AGAAEKDLPL YRHIAQLAGN SDLILPVPAF
NVIINGGSHAG NKLAMQEFMI LPVGAESFRD AMRLGAEVYH TLKGVIKDKY
GKDATNVGDE GGFAPNILEN SEALELVKEA IDKAGYTEKM VIGMDVAASE
FYRDGKYDLD FKSPADPSRC ITGDQLGALY QDFVRNYPVV SIEDPFDQDD
WAAWSKFTAN VGIQIVGDDL TVTNPKEIER AVEEKACNCL LLKVNQIGSV
TEAIQACKLA QENGWGMVS HRSGETEDTF IADLVVGLCT GQIKTGAPCR
SERLAKYNQL MRIEEEELGEE ARFAGHNFRN PSVL
    
```

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.