

RPM264Hu01 10μg

Recombinant Specificity Protein 1 (Sp1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[**PROPERTIES**]

Source: Prokaryotic expression.

Host: *E. coli*

Residues: Leu260~Ala591

Tags: Two N-terminal Tags, His-tag and GST-tag

Tissue Specificity: Kidney, Liver, Prostate Gland Cancer.

Subcellular Location: Nucleus. Cytoplasm.

Purity: >92%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.6

Predicted Molecular Mass: 63.5kDa

Accurate Molecular Mass: 63kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

      L  NGNITLLPVN  SVSAATLTPS  SQAVTISSSG  SQESGSQPVT
SGTTISSASL  VSSQASSSSF  FTNANSYSTT  TTTSNMGIMN  FTTSGSSGTN
SQGQTPQRVS  GLQGSDALNI  QQNQTSGGSL  QAGQQKEGEQ  NQQTQQQQIL
IQPQLVQGGQ  ALQALQAAPL  SGQTFTTQAI  SQETLQNLQL  QAVPNSGPII
IRTPTVGPNG  QVSWQTLQLQ  NLQVQNPQAQ  TITLAPMQGV  SLGQTSSSNT
TLTPIASAAS  IPAGTVTVNA  AQLSSMPGLQ  TINLSALGTS  GIQVHPIQGL
PLAIANAPGD  HGAQLGLHGA  GGDGIHDDTA  GGEEGENSPD  A
    
```

[IDENTIFICATION]




Figure 1. SDS-PAGE