

RPC422Mu01 100µg
Recombinant Constitutive Androstane Receptor (CAR)
Organism Species: *Mus musculus* (Mouse)
Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Met1~Glu247

Tags: N-terminal His Tag

Subcellular Location: Plasma, Nucleus, Cytoplasm

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% SKL, 5%

Trehalose, 1mM DTT.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.0

Predicted Molecular Mass: 31.8kDa

Accurate Molecular Mass: 32kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

MTAMLTLETM ASEEEYGPRN CVVCGDRATG YHFHALTCEG CKGFFRRTVS
KTIGPICPFA GRCEVSKAQR RHCPACRLQK CLNVGMRKDM ILSAEALALR
RARQAQRRAE KASLQLNQQQ KELVQILLGA HTRHVGPMFD QFVQFKPPAY
LFMHHRPFQP RGPVLPLLTH FADINTFMVQ QIIKFTKDLF LFRSLTMEDQ
ISLLKGAAVE ILHISLNTTF CLQTENFFCG PLCYKMEDAV HAGFQYE

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.