

RPD393Hu01 50µg

Recombinant Protein C Inhibitor (PCI)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[**PROPERTIES**]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ser43~Pro406

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.6

Predicted Molecular Mass: 44.7KDa

Accurate Molecular Mass: 45kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

SSRRDFTF
DLYRALASAA PSQSIFFSPV SISMSLAMLS LGAGSSTKMQ ILEGLGLNLQ
KSSEKELHRG FQQLLQELNQ PRDGFQLSLG NALFTDLVVD LQDTFVSAMK
TLYLADTFPT NFRDSAGAMK QINDYVAKQT KGKIVDLLKN LDSNAVVIMV
NYIFFKAKWE TSFNHKGTE QDFYVTSETV VVPMMSRED QYHYLLDRNL
SCRVVGVPYQ GNATALFILP SEGKMQQVEN GLSEKTLRKW LKMFKKRQLE
LYLPKFSIEG SYQLEKVLPS LGISNVFTSH ADLSGISNHS NIQVSEMVHK
AVVEVDESGT RAAAATGTIF TFRSARLNSQ RLVFNRPFLM FIVDNNILFL
GKVNRP

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.