

**RPF167Hu01 10µg**

**Recombinant Tight Junction Protein 2 (TJP2)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

**[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Gly307~Ala669

**Tags:** N-terminal His Tag

**Subcellular Location:** Membrane, Nucleus

**Purity:** > 95%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 80µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 5.1

**Predicted Molecular Mass:** 44.2KDa

**Accurate Molecular Mass:** 49kDa as determined by SDS-PAGE reducing conditions.

**Phenomenon explanation:**

The possible reasons that the actual band size differs from the predicted are as follows:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affect the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

**[ USAGE ]**

Reconstitute in ddH<sub>2</sub>O to a concentration of 0-0.5mg/mL. Do not vortex.

**[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ **SEQUENCE** ]

```
GVLL MKSRANEEYG LRLGSQIFVK EMTRTGLATK DGNLHEGDII
LKINGTVTEN MSLTDARKLI EKSRGKLQLV VLRDSQQTLI NIPSLNDSDS
EIEDISEIES NRSFSPEERR HQYSDYDYHS SSEKLERPS SREDTPSRLS
RMGATPTPFK STGDIAGTVV PETNKEPRYQ EDPPAPQPKA APRTFLRPSP
EDEAIYGPNT KMVRFKKGDS VGLRLAGGND VGIFVAGIQE GTSAEQEGLO
EGDQILKVNT QDFRGLVRED AVLYLLEIPK GEMVTILAQS RADVYRDILA
CGRGDSFFIR SHFECEKETP QSLAFTRGEV FRVVDTLYDG KLGWLVAVRI
GNELEKGLIP NKSRAEQMA
```

### [ **IDENTIFICATION** ]



### [ **IMPORTANT NOTE** ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.