ここに記載の情報はロット毎に異なりますので、ご注意ください。 コスモ・バイオ株式会社



KOJ Human Plasma (pool, heparin) 100mL

Cat. 12250210

Lot. BJ+' +&5

血漿データシート

2016/7/8

			2010/1/0						
1	品名	正常ヒト血漿・プール							
2	ロット番号	BJ7372A							
3	容 量	100mL							
4	使用ロット	R297595 -F	R297597 -F R297598 -F						
		R297604 -F	R297608 -F R297646 -M						
		R297647 -M	R297656 -M R297826 -M						
		R297831 -M							
5	プール日	2016/7/8							
6	抗凝固剤	ヘパリンナトリウム							
Ø	性 別	■ 男性 - M	■ 女性-F						
8	ウイルス試験	HBsAg	- Nonreactive						
		HBc Antibody	- Nonreactive						
		HBV DNA	- Nonreactive						
		HIV-1/2 Antibody	- Nonreactive						
		HIV-1 RNA	- Nonreactive						
		HCV Antibody	- Nonreactive						
		HCV RNA	- Nonreactive						
		West Nile RNA	- Nonreactive						
		Chagas (T.Cruzi)	- Nonreactive						
		Syphilis Serology	- Nonreactive						

以上の製品であることを証明致します。



FDA Registration Number 1072765 AN ISO 9001-2008 Registered Company, ANAB Accredited Phone (901) 526-0293 Fax (901) 529-0531 Email: tbsadmin@tennesseeblood services.com

CERTIFICATE OF ANALYSIS

Date:	7/1/16	Packing List No. 71616
listed	s to certify that th on the above pace egulations and g	e UNITS OF HUMAN PLASMA IN NA HEPARIN cking list was collected, processed and tested in accordance with appropriate uidelines at a FDA registered facility and meets the specifications listed below
	1. Reactive	⊠Nonreactive for HBsAg by FDA Licensed test
	2. Reactive	⊠Nonreactive for HBc Antibody by FDA Licensed test
	3. Reactive	⊠Nonreactive for HBV DNA by FDA Licensed NAT test
	4. Reactive	⊠Nonreactive for HIV-1/2 Antibody by FDA Licensed test
	5. Reactive	⊠Nonreactive for HIV-1 RNA by FDA Licensed NAT test
	6. Reactive	⊠Nonreactive for HCV Antibody by FDA Licensed test
	7. Reactive	⊠Nonreactive for HCV RNA by FDA Licensed NAT test
	8. Reactive	⊠Nonreactive for West Nile RNA by FDA Licensed NAT Test
	9. Reactive	⊠Nonreactive for *Chagas (T.Cruzi) by FDA Licensed test
	10. Reactive	⊠Nonreactive for Syphilis Serology by FDA Licened Test
	11. Not tested for	or anti-HTLV-I/II .
	* Units have bee	en currently or previously tested as negative/nonreactive for Chagas.
		y for the manufacture of unlicensed, non-injectable diagnostic products not license by the FDA under Section 351 of the Public Health Service Act."
Approv	ved Bv:	HHY /

TBSP800 Attachment 12 Revision: PC11-14 Approved: 9/20/11 Effective: 9/22/11

Tennessee Blood Services 807 Poplar Avenue Memphis, Tennessee 38105

Phone: (901) 526-0293 Fax: (901) 529-0531

 Ship Date:
 7/1/2016
 Via:
 FEDEX

 P.O.#
 BJ7372
 P.L.#
 71616

Total Units: 10 Volume: 2.835 Liters

	Total Units:	Volume: 2.835 Liters							
PRODUCT:	HUMAN PLASMA IN NA HEPARIN								
	Bleed Number	Bleed Date	RS	Age	Volume	АВО			
1	R297595	6/23/2016	BF	34	275	B+			
2	R297597	6/23/2016	BF	27	290	B+			
3	R297598	6/23/2016	BF	19	290	0+			
4	R297604	6/23/2016	BF	56	280	0+			
5	R297608	6/23/2016	BF	51	290	0+			
6	R297646	6/24/2016	BM	22	280	B+			
7	R297647	6/24/2016	BM	57	285	A+			
8	R297656	6/24/2016	WM	28	265	0+			
9	R297826	6/28/2016	BM	38	290	B=			
10	R297831	6/28/2016	BM	27	290	B+			

REVIEWED BY ACL

Signature AMC