

ASCC2 antibody

Product Information

Catalog No.: FNab00628

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months(Avoid repeated freeze / thaw cycles.)

Immunogen information

Immunogen: activating signal cointegrator 1 complex subunit 2

Synonyms: Activating signal cointegrator 1 complex subunit 2|ASC-1 complex

subunit p100|Trip4 complex subunit p100|ASCC2|ASC1P100|RQT3

Observed MW: 90-100 kDa

Uniprot ID: Q9H1I8


Application

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, IHC, IF, WB, FC, IP


Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:10-1:100

Image:




Immunohistochemistry of paraffin-embedded human colon cancer using FNab00628(ASCC2 antibody) at dilution of 1:100






Immunofluorescent analysis of HepG2 cells, using FNab00628(ASCC2 antibody) at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).



IP Result of anti-ASCC2 (IP:FNab00628, 4ug; Detection:FNab00628 1:1000) with HeLa cells lysate 2640ug.



HeLa cells were subjected to SDS PAGE followed by western blot with FNab00628(ASCC2 Antibody) at dilution of 1:1000