

NCOR2 antibody

Product Information

Catalog No.:	FNab10069
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)

Background

Transcriptional corepressor. Mediates the transcriptional repression activity of some nuclear receptors by promoting chromatin condensation, thus preventing access of the basal transcription. Isoform 1 and isoform 5 have different affinities for different nuclear receptors. Involved in the regulation BCL6-dependent of the germinal center(GC) reactions, mainly through the control of the GC B-cells proliferation and survival.


Immunogen information

Immunogen:	nuclear receptor co-repressor 2
Synonyms:	Nuclear receptor corepressor 2 (N-CoR2) CTG repeat protein 26 SMAP270 Silencing mediator of retinoic acid and thyroid hormone receptor (SMRT) T3 receptor-associating factor (TRAC) Thyroid-, retinoic-acid-receptor-associated corepressor NCOR2 CTG26
Observed MW:	180 kDa, 275 kDa
Uniprot ID :	Q9Y618


Application

Reactivity:	Human, mouse, Rat
Tested Application:	ELISA, WB, IHC
Recommended dilution:	WB: 1:500-1:2000; IHC: 1:50-1:200

Image:



Immunohistochemistry of paraffin-embedded human lung using FNab10069(NCOR2 Antibody) at dilution of 1:100



LO2 cells were subjected to SDS PAGE followed by western blot with FNab10069(NCOR2 antibody) at dilution of 1:1000