

3607 Parkway Lane, Suite 200 Peachtree Corners, GA 30092 www.RayBiotech.com | info@raybiotech.com 770-729-2992 | 1-888-494-8555 ISO 13485:2016 cGMP

# Recombinant Human Serpin B3 (SCCA1) Protein

Catalog Number: 230-00859

Data Sheet / Certificate of Analysis (CoA)

Last Revised: 11/26/2024

Source

**Species** Human

Accession Number P29508

Gene Symbols SCCA1|SERPINB3

**Synonyms** Serpin B3, Serpin Family B Member 3, Serine (Or Cysteine) Proteinase Inhibitor,

Clade B (Ovalbumin), Member 3, Serpin Peptidase Inhibitor, Clade B (Ovalbumin), Member 3, Squamous Cell Carcinoma Antigen 1, Protein T4-A, SCCA-1, SCC

Serpin B3, HsT1196, SCCA-PD, SSCA1, T4-A, SCCA, SCC.

Expressed Region Asn2-Pro390

**Preparation** 

**Expression System** E. coli

Tag N-terminal 6x histidine tag

Purity >95%

Molecular Weight 43 kDa

**Specifications** 

Format Lyophilized powder

**Formulation** Lyophilized from a 0.45 ?m filtered solution in 1x PBS (pH 7.4).

**Concentration** Determined by Bio-Rad protein assay dye reagent concentrate.

**Reconstitution** Briefly spin the vial and bring the contents to the bottom prior to opening. It is

recommended to reconstitute at 0.5~1.0 mg/mL with sterile deionized water.

For Research Use Only Page 1 of 2




## Recombinant Human Serpin B3 (SCCA1)

**Protein** 

Catalog Number: 230-00859

#### **SDS-PAGE Image**



## **Shipping**

The product is shipped with ice packs. Upon arrival, immediately store it at the temperature recommended below.

### Storage/Stability

- Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
- Upon arrival, the lyophilized protein may be stored for 2 weeks at 4°C.
- For long term storage, it is recommended to store desiccated below -20°C in a manual defrost freezer.
- Generally, the shelf life is up to 12 months from date of receipt at -20°C or -80°C under sterile conditions.
- Following reconstitution, the protein may be stored for 2 weeks under sterile conditions at -20°C. For long term storage, it is recommended to make appropriate aliquots at -20°C or -80°C.

For Research Use Only Page 2 of 2