

3607 Parkway Lane, Suite 200 Peachtree Corners, GA 30092 www.RayBiotech.com | info@raybiotech.com 770-729-2992 | 1-888-494-8555 ISO 13485:2016 cGMP

Recombinant Human NK2 Homeobox 5 Protein, HEK293 Lysate

Catalog Number: 230-10248-100

Data Sheet / Certificate of Analysis (CoA)

Last Revised: 11/26/2024

Source

Species Human

Accession Number P52952-1

Gene Symbols NKX2-5

Synonyms NK2 Homeobox 5, transfected HEK293 cell lysate, NK2 Homeobox 5, Homeobox

Protein NK-2 Homolog E, Homeobox Protein CSX, NKX2.5, NKX2E, CSX, NK2
Transcription Factor Related, Locus 5 (Drosophila), NK2 Transcription Factor
Related, Locus 5, Tinman Paralog (Drosophila), Cardiac-Specific Homeobox 1,
Cardiac-Specific Homeo Box, Cardiac-Specific Homeobox, Tinman Paralog, NKX4-1,

CHNG5, HLHS2, CSX1, VSD3

Expressed Region Phe2-Trp324

Preparation

Expression System HEK293 cells

Tag N-terminal histidine tag

Purity Unpurified cell lysate. HEK293 cells transfected with expression vectors harboring

target gene were harvested and washed with PBS twice. The cell pastes were resuspended with ice-cold PBS containing mammalian cell protease inhibitor cocktail and further lysed with freeze-thaw cycles. After clarifying with 20,000 g centrifugation

at 4°C for 30 min, the lysate was aliquoted, lyophilized, and stored at -80°C

immediately. Protein concentration was determined by BCA kit (Thermo Scientific, Inc.) using BSA as protein standard. The gene overexpression in lysate was confirmed by Western blotting using anti-His tag antibody and/or target-specific antibodies and the lysate derived from HEK293 cells transfected with the empty

expression vector was used as a negative control.

Molecular Weight Recombinant protein has a calculated molecular mass of 35. The actual molecular

weight may increase differently due to the potential post-modifications (PTMs).

Specifications

For Research Use Only Page 1 of 3

Format Lyophilized powder

Formulation Lyophilized from a 0.2 µm filtered solution in PBS containing mammalian cell

protease inhibitor cocktail

Concentration Determined by Pierce BCA protein assay kit

Reconstitution Briefly spin the vial and bring the contents to the bottom prior to opening. It is

recommended to reconstitute at 0.5 - 1 mg/mL with sterile deionized water.

For Research Use Only Page 2 of 3



Recombinant Human NK2 Homeobox 5 Protein, HEK293 Lysate

Catalog Number: 230-10248-100

Shipping

The product is shipped with ice packs. Upon arrival, immediately store it at the temperature recommended below.

Storage/Stability

- Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
- Upon arrival, the lyophilized protein may be stored for 2 weeks at 4°C.
- For long term storage, it is recommended to store desiccated below -20°C in a manual defrost freezer.
- Generally, the shelf life is up to 12 months from date of receipt at -20°C or -80°C under sterile conditions.
- Following reconstitution, the protein may be stored for 2 weeks under sterile conditions at -20°C. For long term storage, it is recommended to make appropriate aliquots at -20°C or -80°C.

For Research Use Only Page 3 of 3