



Synonym


Disintegrin and metalloproteinase domain-containing protein 9 (EC:3.4.24.-)
 Cellular disintegrin-related protein, Meltrin-
 gamma, Metalloprotease, disintegrin, cysteine-rich protein 9, Myeloma cell
 metalloproteinase, ADAM9, KIAA0021, MCMP, MDC9, MLTNG

Source

Biotinylated Mouse ADAM9 Protein, His,Avitag(AD9-M82E3) is expressed from human 293 cells (HEK293). It contains AA Ala 206 - Asp 697 (Accession # [Q61072](#)).

Predicted N-terminus: Ala 206

Molecular Characterization



This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (Avitag™).

The protein has a calculated MW of 56.9 kDa. The protein migrates as 65-70 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.


Labeling

Biotinylation of this product is performed using Avitag™ technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin.

Protein Ratio

Passed as determined by the HABA assay / binding ELISA.

SDS-PAGE



Biotinylated Mouse ADAM9 Protein, His,Avitag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90% (With [Star Ribbon Pre-stained Protein Marker](#)).

Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

Formulation

Supplied as 0.2 µm filtered solution in 20 mM Tris, 500 mM NaCl, pH7.5 with glycerol as protectant.

Contact us for customized product form or formulation.

Shipping

This product is supplied and shipped with dry ice, please inquire the shipping cost.


Storage

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- The product MUST be stored at -70°C or lower upon receipt;
- -70°C for 3 months under sterile conditions.

SEC-MALS



The purity of Biotinylated Mouse ADAM9 Protein, His,Avitag (Cat. No. AD9-M82E3) is more than 90% and the molecular weight of this protein is around 55-75 kDa verified by SEC-MALS.

[Report](#)

Discounts, Gifts,
 and more!



» www.acrobiosystems.com



Bioactivity

Measured by its ability to cleave a fluorogenic peptide substrate Mca-PLAQAV-Dpa-RSSSR-NH2. The specific activity is >70 pmol/min/μg (QC tested).

Background

ADAM9 (A disintegrin and a metalloprotease 9) is a membrane-anchored protein that participates in a variety of physiological functions, primarily through the disintegrin domain for adhesion and the metalloprotease domain for ectodomain shedding of a wide variety of cell surface proteins. ADAM9 influences the developmental process, inflammation, and degenerative diseases. Recently, increasing evidence has shown that ADAM9 plays an important role in tumor biology. Overexpression of ADAM9 has been found in several cancer types and is correlated with tumor aggressiveness and poor prognosis. In addition, through either proteolytic or non-proteolytic pathways, ADAM9 promotes tumor progression, therapeutic resistance, and metastasis of cancers.

Discounts, Gifts,
and more!



» www.acrobiosystems.com