

**Synonym**

E8L (MPXV)

**Source**

Monkeypox virus (Democratic Republic of the Congo) E8L Protein, His Tag (E8L-M52H4) is expressed from human 293 cells (HEK293). It contains AA Met 1 - Thr 275 (Accession # EPI\_ISL\_19093812, GISAID).

Predicted N-terminus: Met 1

**Molecular Characterization**

E8L(Met 1 - Thr 275)	Poly-his
EPI_ISL_19093812	

This protein carries a polyhistidine tag at the C-terminus.

The protein has a calculated MW of 33.7 kDa. The protein migrates as 38-55 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

**Endotoxin**

Less than 1.0 EU per  $\mu$ g by the LAL method / rFC method.

**Purity**

>90% as determined by SDS-PAGE.

**Formulation**

Lyophilized from 0.22  $\mu$ m filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

**Reconstitution**

Please see Certificate of Analysis for specific instructions.

*For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.*


**Storage**

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

*Please avoid repeated freeze-thaw cycles.*

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

**SDS-PAGE**

Monkeypox virus (Democratic Republic of the Congo) E8L Protein, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%.

**Bioactivity-ELISA**


Discounts, Gifts,  
and more!



» [www.acrobiosystems.com](http://www.acrobiosystems.com)



Monkeypox virus (Democratic Republic of the Congo) E8L Protein, His Tag ELISA  
0.5 µg of Monkeypox virus (Democratic Republic of the Congo) E8L Protein, His Tag per well



Immobilized Monkeypox virus (Democratic Republic of the Congo) E8L Protein, His Tag (Cat. No. E8L-M52H4) at 5 µg/mL (100 µL/well) can bind Anti-Monkeypox virus/MPXV E8L Antibody with a linear range of 0.1-3 ng/mL (QC tested).

## Background

Monkeypox is a rare zoonosis caused by monkeypox virus, which has become the most serious orthpoxvirus and consists of complex double stranded DNA. The pathogenesis of monkeypox is that the virus invades the body from respiratory mucosa, multiplies in lymphocytes, and incurs into blood producing transient venereal toxemia. after the virus multiplies in cells, the cells can invade the blood and propagate to the skin of the whole body, causing lesions. E8L can binds to chondroitin sulfate on the cell surface to provide virion attachment to target cell.

Discounts, Gifts,  
and more!



» [www.acrobiosystems.com](http://www.acrobiosystems.com)