Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] Hemagglutinin (HA) Protein, His,Avitag™ (MALS verified)

Catalaa # UAO \/00E4



HA, Hemagglutinin

Source

Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His,Avitag(HA2-V82E4) is expressed from human 293 cells (HEK293). It contains AA Asp 19 - Lys 523 (Accession # Q80KD9_9INFA). Predicted N-terminus: Asp 19

Molecular Characterization



This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (AvitagTM)

The protein has a calculated MW of 63.8 kDa. The protein migrates as 70-95 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

Labeling

Biotinylation of this product is performed using AvitagTM technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin.

Protein Ratio

Passed as determined by the HABA assay / binding ELISA.

Endotoxin

Less than 1.0 EU per µg by the LAL method.

Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

Formulation

Lyophilized from 0.22 μm filtered solution in PBS with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.


SDS-PAGE



Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His,Avitag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90%.

Bioactivity-ELISA

SEC-MALS




The purity of Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His,Avitag (Cat. No. HA2-V82E4) is more than 90% and the molecular weight of this protein is around 200-230 kDa verified by SEC-MALS.

Report

Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] Hemagglutinin (HA) Protein, His,Avitag™ (MALS verified)

Catalaa # 1140 1/00E4

Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His, Avitag ELISA 0.1 μ g of Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His, Avitag per well



Monoclonal Anti-Influenza HA Universal Antibody, Human IgG1 Conc. (ng/mL)

Immobilized Biotinylated Influenza A [A/guinea fowl/Hong Kong/WF10/99(H9N2)] HA Protein, His,Avitag (Cat. No. HA2-V82E4) at 1 μ g/mL (100 μ L/well) on streptavidin (Cat. No. STN-N5116) precoated (0.5 μ g/well) plate can bind Monoclonal Anti-Influenza HA Universal Antibody, Human IgG1 (Cat. No. CR1-M2S3) with a linear range of 0.1-2 ng/mL (QC tested).

Background

Neuraminidase (NA) and hemagglutinin (HA) are major membrane glycoproteins found on the surface of influenza virus. Hemagglutinin binds to the sialic acid-containing receptors on the surface of host cells during initial infection and at the end of an infectious cycle. Hemagglutinin also plays a major role in the determination of host range restriction and virulence. As a class I viral fusion protein, hemagglutinin is responsible for penetration of the virus into the cell cytoplasm by mediating the fusion of the membrane of the endocytosed virus particle with the endosomal membrane.

Clinical and Translational Updates

Please contact us via <u>TechSupport@acrobiosystems.com</u> if you have any question on this product.