Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Monomer, MALS verified)

Catalog # HLM-H82E5





Synonym

HLA-A*0201 & B2M & MAGE-A4 (GVYDGREHTV)

Source

Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein(HLM-H82E5) is expressed from human 293 cells (HEK293). It contains AA Gly 25 - Ile 308 (HLA-A*02:01) & Ile 21 - Met 119 (B2M) & GVYDGREHTV peptide (Accession # <u>AAA59606.1</u> (HLA-A*02:01) & <u>P61769-1</u> (B2M) & GVYDGREHTV).

Predicted N-terminus: Gly 25 & Ile 21

Molecular Characterization

Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein is produced by co-expression of HLA and B2M loaded with MAGE-A4 peptide.

This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (AvitagTM).

The protein migrates as 42-43 kDa and 12 kDa when calibrated against <u>Star</u> <u>Ribbon Pre-stained Protein Marker</u> under reducing (R) condition (SDS-PAGE) due to glycosylation.

Labeling

Biotinylation of this product is performed using AvitagTM technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin.

Purity

>90% as determined by SDS-PAGE.

>95% as determined by SEC-MALS.

Formulation

Lyophilized from $0.22~\mu m$ filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:


- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

SDS-PAGE



Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90% (With <u>Star Ribbon Pre-stained Protein Marker</u>).

SEC-MALS



The purity of Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Cat. No. HLM-H82E5) is more than 95% and the molecular weight of this protein is around 48-60 kDa verified by SEC-MALS.

<u>Report</u>

Bioactivity-ELISA




Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Monomer, MALS verified)






Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein ELISA 0.1 μ g of Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein per well




Immobilized Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Cat. No. HLM-H82E5) at 1 μ g/mL (100 μ L/well) on streptavidin (Cat. No. STN-N5116) precoated (0.5 μ g/well) plate can bind Anti-HLA class I Antibody, Human IgG1 (W6/32) with a linear range of 0.1-2 ng/mL (QC tested).

Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein ELISA 0.1 μ g of Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein per well




Immobilized Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Cat. No. HLM-H82E5) at 1 μ g/mL (100 μ L/well) on streptavidin (Cat. No. STN-N5116) precoated (0.5 μ g/well) plate can Anti-B2M Antibody, Human IgG1 with a linear range of 0.1-2 ng/mL (Routinely tested).

Bioactivity-SPR



Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Cat. No. HLM-H82E5) captured on Biotin CAP-Series S





Immobilized Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Cat. No. HLM-H82E5) at 1 μg/mL (100 μL/well) on streptavidin (Cat. No. STN-N5116) precoated (0.5 μg/well) plate can bind Anti-HLA-A2&MAGE-A4 Antibody, Human IgG1 with a linear range of 0.1-1 ng/mL (QC tested).



Biotinylated Human HLA-A*02:01&B2M&MAGE-A4 (GVYDGREHTV) Complex Protein (Monomer, MALS verified)





Catalog # HLM-H82E5

Sensor Chip can bind Anti-HLA-A2&MAGE-A4 Antibody, Human IgG1 with an affinity constant of 22.3 pM as determined in a SPR assay (Biacore 8K) (Routinely tested).

