

# **Synonym**

JAB1

#### **Source**

Human JAB1 Protein, Fc Tag(JA1-H5553) is expressed from Baculovirus-Insect cells. It contains AA Ala 2 - Ser 334 (Accession # Q92905-1).

Predicted N-terminus: Ala 2

#### Molecular Characterization

JAB1(Ala 2 - Ser 334) Fc(Pro 100 - Lys 330) Q92905-1 P01857

This protein carries a human IgG1 Fc tag at the C-terminus.

The protein has a calculated MW of 63.9 kDa. The protein migrates as 33 kDa and 64-66 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

### **Endotoxin**

Less than 1.0 EU per  $\mu g$  by the LAL method / rFC method.

## **Purity**

>90% as determined by SDS-PAGE.

#### **Formulation**

Lyophilized from 0.22  $\mu m$  filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

# Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

### Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

# **SDS-PAGE**



Human JAB1 Protein, Fc Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%.

# Background

Jab1, also known as CSN5, is a component of (COP9) signalosome complex (CSN) and reported to be involved in the regulation of cell proliferation, cell-cycle progression, and tumorigenesis. As a component of the COP9 signalosome complex, Jab1 could reciprocally regulate the stability and transcriptional activity of MED1 and might be a MED1 direct target gene mediating the aggressive phenotypes of HER2+tumors.

