



## Synonym

SLC39A6, LIV-1, ZIP6, Zinc transporter ZIP6, ZIP-6

## Source

Human LIV-1, Fc Tag (LV1-H5254) is expressed from human 293 cells (HEK293). It contains AA Phe 29 - Trp 325 (Accession # [Q13433-1](#)).

Predicted N-terminus: Phe 29

## Molecular Characterization

LIV1(Phe 29 - Trp 325)  
Q13433-1

Fc(Pro 100 - Lys 330)  
P01857

This protein carries a human IgG1 Fc tag at the C-terminus.

The protein has a calculated MW of 60.1 kDa. The protein migrates as 70-100 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.

## Endotoxin

Less than 1.0 EU per  $\mu$ g by the LAL method / rFC method.

## Purity

>95% as determined by SDS-PAGE.

>95% as determined by SEC-MALS.

## Formulation

Lyophilized from 0.22  $\mu$ m filtered solution in 50 mM Tris, 100 mM Glycine, 25 mM Arginine, 150 mM NaCl, pH7.5 with trehalose as protectant.

Contact us for customized product form or formulation.

## Reconstitution

Please see Certificate of Analysis for specific instructions.

*For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.*

## Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

*Please avoid repeated freeze-thaw cycles.*

This product is stable after storage at:


- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

## SDS-PAGE



Human LIV-1, Fc Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With [Star Ribbon Pre-stained Protein Marker](#)).

## SEC-MALS



The purity of Human LIV-1, Fc Tag (Cat. No. LV1-H5254) is more than 95% and the molecular weight of this protein is around 130-160 kDa verified by SEC-MALS.


[Report](#)

## Bioactivity-ELISA

Discounts, Gifts,  
and more!




» [www.acrobiosystems.com](http://www.acrobiosystems.com)



Immobilized Human LIV-1, Fc Tag (Cat. No. LV1-H5254) at 1 µg/mL (100 µL/well) can bind Anti-LIV-1 antibody, Human IgG1 with a linear range of 0.3-5 ng/mL (QC tested).

### Bioactivity-SPR



Anti-LIV-1 mAb immobilized on CM5 can bind Human LIV-1, Fc Tag (Cat. No. LV1-H5254) with an affinity constant of 1.74 nM as determined in a SPR assay (Biacore T200) (Routinely tested).

### Background

LIV-1 is also known as SLC39A6, ZIP-6 and Zinc transporter ZIP6. May act as a zinc-influx transporter. Highly expressed in the breast, prostate, placenta, kidney, pituitary and corpus callosum. Weakly expressed in heart and intestine. Also highly expressed in cells derived from an adenocarcinoma of the cervix and lung carcinoma. Up-regulated by estrogen in breast cancer cells lines.

Discounts, Gifts,  
and more!

