# Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) (MALS verified)

Catalog # SPD-S298





#### Source

Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) is isolated from a Spike RBD infected Mouse and is recombinantly produced from human 293 cells (HEK293)

Clone

9A6A11

**Species** 

Mouse

Isotype

Mouse IgG1 | Mouse Kappa

Conjugate

Unconjugated

**Antibody Type** 

Recombinant Monoclonal

Immunogen

Recombinant SARS-CoV-2 Spike RBD Protein (XBB.1.5/Omicron) erived from human 293 cells

## **Specificity**

This product is a specific antibody specifically reacts with SARS-CoV-2 Spike RBD Protein, His Tag (XBB/Omicron). No cross-reactivity is detected with Spike RBD of WT (Cat. No. SPD-C52H3), Alpha (Cat. No. SPD-C52Hn), Beta (Cat. No. SPD-C52Hp), Gamma (Cat. No. SPD-C52Hr), Delta (Cat. No. SPD-C52Hh), B.1.1.529/Omicron (Cat. No. SPD-C522e), BA.2/Omicron (Cat. No. SPD-C522g), BA.3/Omicron, BA.4&5Omicron (Cat. No. SPD-C522r), BA.2.12.1/Omicron, BA.2.75/Omicron (Cat. No. SPD-C522t), BF.7&BA.4.6/Omicron (Cat. No. SPD-C522y), BQ.1.1/Omicron (Cat. No. SPD-C5240).

# **Application**

**Application** Recommended Usage

ELISA 0.4-200 ng/mL

### **Purity**

>95% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

#### **Purification**

Protein A purified / Protein G purified

#### **Formulation**

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

#### Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

#### Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:


- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

**SDS-PAGE** 

**SEC-MALS** 




## Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) (MALS verified)











Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With Star Ribbon Pre-stained Protein Marker).



The purity of Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) (Cat. No. SPD-S298) is more than 90% and the molecular weight of this protein is around 130-160 kDa verified by SEC-MALS. Report

# **Bioactivity-ELISA**



Immobilized SARS-CoV-2 Spike RBD Protein, His Tag (XBB/Omicron) (MALS verified) (Cat. No. SPD-C5241) and SARS-CoV-2 Spike RBD Protein, His Tag (XBB.1.5/Omicron) (MALS verified) (Cat. No. SPD-C5242) can bind Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) (Cat. No. SPD-S298) with a linear range of 0.195-12.5 ng/mL. The antibody does not bind Spike RBD of WT (Cat. No. SPD-C52H3), Alpha (Cat. No. SPD-C52Hn), Beta (Cat. No. SPD-C52Hp), Gamma (Cat. No. SPD-C52Hr), Delta (Cat. No. SPD-C52Hh), B.1.1.529/Omicron (Cat. No. SPD-C522e), BA.2/Omicron (Cat. No. SPD-C522g), BA.3/Omicron, BA.4&5Omicron (Cat. No. SPD-C522r), BA.2.12.1/Omicron, BA.2.75/Omicron (Cat. No. SPD-C522t), BF.7&BA.4.6/Omicron (Cat. No. SPD-C522y), BQ.1.1/Omicron (Cat. No. SPD-C5240) (Routinely tested).

### Background

It's been reported that Coronavirus can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell



# Anti-SARS-CoV-2 Spike RBD Antibody, Mouse IgG1 (9A6A11) (XBB.1.5/Omicron Specific) (MALS verified)





Catalog # SPD-S298

surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

