

Synonym

DDPAC,FTDP-17,MAPT,MSTD,MTBT1,Tau,PHF-tau,TAU

Source

Human Tau-441 (273-380), His Tag(TAU-H51H5) is expressed from E. coli cells. It contains AA Gly 273 - Glu 380 (Accession # [P10636-8](#)).

Predicted N-terminus: Met

Molecular Characterization

Poly-his

Tau-441(Gly 273 - Glu 380)
P10636-8

This protein carries a polyhistidine tag at the N-terminus.

The protein has a calculated MW of 13.7 kDa. The protein migrates as 16 kDa under reducing (R) condition (SDS-PAGE).

Purity

>95% as determined by SDS-PAGE.

>95% as determined by SEC-MALS.

Formulation

Lyophilized from 0.22 µm filtered solution in 50 mM Tris, 150 mM NaCl, pH7.5 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:


- 20°C to -70°C for 12 months in lyophilized state;
- 70°C for 3 months under sterile conditions after reconstitution.

SDS-PAGE



Human Tau-441 (273-380), His Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%.

SEC-MALS



The purity of Human Tau-441 (273-380), His Tag (Cat. No. TAU-H51H5) is more than 95% and the molecular weight of this protein is around 12-18 kDa verified by SEC-MALS.

[Report](#)

Discounts, Gifts,
and more!





Background

Tau is a microtubule-associated protein, which encodes by the MAPT gene that located on chromosome 17q21. Tau Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. Hyperphosphorylation of the tau protein (tau inclusions, pTau) can result in the self-assembly of tangles of paired helical filaments and straight filaments, which are involved in the pathogenesis of Alzheimer's disease, frontotemporal dementia, and other tauopathies. Tau-441 is known as "2N4R," "Isoform Tau-F," "Tau-4" or "Tau 441", which consisting of 441 amino acid. Tau-441 is a potential therapeutic target for pathogenesis.

