



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

SPT20 Homolog, SAGA Complex Component (SUPT20H) Antibody


Catalogue No.: abx006466




Western blot analysis of extracts of various cell lines, using SUPT20H antibody (abx006466) at 1/1000 dilution.




Immunohistochemistry of paraffin-embedded human colon using SUPT20H antibody (abx006466) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded human kidney using SUPT20H antibody (abx006466) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse liver using SUPT20H antibody (abx006466) at dilution of 1/100 (40x lens).



Immunofluorescence analysis of A549 cells using SUPT20H antibody (abx006466). Blue: DAPI for nuclear staining.

SUPT20H Antibody is a Rabbit Polyclonal Antibody against SUPT20H.

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Target:	SUPT20H
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Tested Applications:	WB, IHC, IF/ICC
Recommended dilutions:	WB: 1/500 - 1/2000, IHC: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Purification:	Affinity purified.
Form:	Liquid
Isotype:	IgG
Conjugation:	Unconjugated
Storage:	Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.
Molecular Weight:	Calculated MW: 80 kDa/85 kDa/88 kDa Observed MW: 86 kDa
Swiss Prot:	Q8NEM7
GeneID:	55578
Gene Symbol:	SUPT20H
Concentration:	> 1 mg/ml
Buffer:	PBS, pH 7.3, 0.02% sodium azide, 50% glycerol.
Note:	This product is for research use only.