



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Cadherin 16 (CDH16) Antibody


Catalogue No.: abx006568




Western blot analysis of extracts of various cell lines, using CDH16 antibody (abx006568) at 1/1000 dilution.




Immunohistochemistry of paraffin-embedded rat brain using CDH16 antibody (abx006568) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded rat kidney using CDH16 antibody (abx006568) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded rat heart using CDH16 antibody (abx006568) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse brain using CDH16 antibody (abx006568) at dilution of 1/100 (40x lens).

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com



Immunohistochemistry of paraffin-embedded mouse kidney using CDH16 antibody (abx006568) at dilution of 1/100 (40x lens).

CDH16 Antibody is a Rabbit Polyclonal Antibody against CDH16.

Target: CDH16

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Tested Applications: WB, IHC

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Purification: Affinity purified.

Form: Liquid

Isotype: IgG

Conjugation: Unconjugated

Storage: Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.

Molecular Weight: Calculated MW: 79 kDa/85 kDa/87 kDa/89 kDa
Observed MW: 110 kDa

Swiss Prot: [O75309](#)

GeneID: [1014](#)

Gene Symbol: CDH16

Concentration: > 1 mg/ml

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Buffer: PBS, pH 7.3, 0.02% sodium azide, 50% glycerol.

Note: This product is for research use only.