



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK  
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: [info@abbexa.com](mailto:info@abbexa.com)

## Splicing Factor 3B Subunit 3 (SF3B3) Antibody


Catalogue No.: abx007125




Western blot analysis of extracts of various cell lines, using SF3B3 antibody (abx007125) at 1/1000 dilution.




Immunohistochemistry of paraffin-embedded rat brain using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded rat kidney using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded human liver cancer using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded human colon carcinoma using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).


Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK  
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: [info@abbexa.com](mailto:info@abbexa.com)




Immunohistochemistry of paraffin-embedded human prostate using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded mouse liver using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded mouse kidney using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded mouse heart using SF3B3 antibody (abx007125) at dilution of 1/200 (40x lens).

SF3B3 Antibody is a Rabbit Polyclonal Antibody against SF3B3.

|                    |                   |
|--------------------|-------------------|
| <b>Target:</b>     | SF3B3             |
| <b>Reactivity:</b> | Human, Mouse, Rat |
| <b>Host:</b>       | Rabbit            |
| <b>Clonality:</b>  | Polyclonal        |

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK  
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: [info@abbexa.com](mailto:info@abbexa.com)

**Tested Applications:** WB, IHC

**Recommended dilutions:** WB: 1/500 - 1/2000, IHC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

**Purification:** Affinity purified.

**Form:** Liquid

**Isotype:** IgG

**Conjugation:** Unconjugated

**Storage:** Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.

**Molecular Weight:** Calculated MW: 30 kDa/44 kDa/135 kDa  
Observed MW: 140 kDa

**Swiss Prot:** [Q15393](#)

**GeneID:** [23450](#)

**Gene Symbol:** SF3B3

**Concentration:** > 1 mg/ml

**Buffer:** PBS, pH 7.3, 0.02% sodium azide, 50% glycerol.

**Note:** This product is for research use only.