



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Proto-Oncogene C-Fos (FOS) Antibody


Catalogue No.: abx011653




Western blot analysis using FOS antibody against human FOS (AA: 116-298) recombinant protein. (Expected MW is 45.8 kDa).




Western blot analysis using FOS antibody against HeLa (1), and HeLa (2) cell lysate.



Immunohistochemical analysis of paraffin-embedded colon cancer tissues using FOS antibody with DAB staining.




Immunohistochemical analysis of paraffin-embedded cerebellum tissues using FOS antibody with DAB staining.



Flow cytometric analysis of HeLa cells using FOS antibody (green) and negative control (red).

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com



Red: Control Antigen (100ng) ; Purple: Antigen (10ng) ; Green: Antigen (50ng) ; Blue: Antigen (100ng).

The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. In some cases, expression of the FOS gene has also been associated with apoptotic cell death.

Target: Proto-Oncogene C-Fos (FOS)

Reactivity: Human

Host: Mouse

Clonality: Monoclonal

Tested Applications: ELISA, WB, IHC, FCM

Recommended dilutions: ELISA: 1/10000, WB: 1/500 - 1/2000, IHC: 1/200 - 1/1000, FCM: 1/200 - 1/400. Optimal dilutions/concentrations should be determined by the end user.

Immunogen: Purified recombinant fragment of human FOS expressed in E. Coli.

Purification: Unpurified Ascites.

Isotype: IgG₁

Conjugation: Unconjugated

Storage: Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.

Molecular Weight: 40.7 kDa

Swiss Prot: [P01100](#)

GeneID: [2353](#)

Gene Symbol: FOS

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

OMIM: [164810](#)

HGNC: 3796

Ensembl: ENSG00000170345

Buffer: Ascitic fluid containing 0.03% sodium azide.

Note: This product is for research use only.