



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

ATPase, Na⁺/K⁺ Transporting Beta 3 Polypeptide (ATP1b3) Antibody


Catalogue No.: abx104466




Western blot analysis of (1) Human Lung Tissue, (2) Human A-431 Cells and (3) Rat Skin Tissue.




Western blot analysis of recombinant Human ATP1b3.



IHC-P analysis of Human Kidney Tissue, with DAB staining.




IHC-P analysis of Human Skin Cancer Tissue, with DAB staining.



IHC-P analysis of Human Prostate Gland Tissue, with DAB staining.

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com



IHC-P analysis of Human Liver Cancer Tissue, with DAB staining.

Polyclonal Antibody to ATPase, Na⁺/K⁺ Transporting Beta 3 Polypeptide (ATP1b3).

Target: ATPase, Na⁺/K⁺ Transporting Beta 3 Polypeptide (ATP1b3)

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

Tested Applications: WB, IHC, IF/ICC, IP

Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.

Immunogen: ATP1b3 (Met61-Phe273)

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography.

Form: Liquid

Conjugation: Unconjugated

Storage: Store at 4 °C for frequent use. Aliquot and store at -20 °C for one year. Avoid repeated freeze/thaw cycles.

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: This product is for research use only.