



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Human Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) ELISA Kit

Catalogue No.:abx151626



Human GAPDH ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell lysates, cell culture supernates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Glyceraldehyde 3 phosphate dehydrogenase (GAPDH) (GAPDH)

No significant cross-reactivity or interference between Glyceraldehyde 3 phosphate dehydrogenase (GAPDH) (GAPDH) and analogues was observed.

Please note that this kit is also available as a CLIA Kit abx190169.

Target: Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)

Reactivity: Human

Tested Applications: ELISA

Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.

Test Range: 1.56 ng/ml - 100 ng/ml

Sensitivity: < 0.56 ng/ml

Validity: The validity for this kit is 6 months.

Storage: Store at 2°C to 8°C upon receipt.

Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within

the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested

that the whole assay is performed by the same user throughout.

Standard Form: Lyophilized



DATASHEET

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

ELISA Detection: Colorimetric

ELISA Type: Sandwich

ELISA Data: Quantitative

Sample Type: Tissue homogenates, cell lysates, cell culture supernatants and other biological fluids.

Note: This product is for research use only. The range and sensitivity is subject to change. Please

contact us for the latest product information. For accurate results, sample concentrations must be diluted to mid-range of the kit. If you require a specific range, please contact us in advance or write

your request in your order comments.