

#### **Anti-PINX1 Picoband Antibody**

Catalog # ABO12186

#### **Specification**

# Anti-PINX1 Picoband Antibody - Product Information

Application
Primary Accession
Host
Reactivity
Clonality
Format
WB
Q96BK5
Rabbit
Human
Polyclonal
Lyophilized

Description

Rabbit IgG polyclonal antibody for PIN2/TERF1-interacting telomerase inhibitor 1(PINX1) detection. Tested with WB in Human.

#### Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-PINX1 Picoband Antibody - Additional Information

#### **Gene ID** 54984

#### Other Names

PIN2/TERF1-interacting telomerase inhibitor 1, Liver-related putative tumor suppressor, Pin2-interacting protein X1, Protein 67-11-3, TRF1-interacting protein 1, PINX1, LPTL, LPTS

# Calculated MW 37035 MW KDa


#### **Application Details**

Western blot, 0.1-0.5 μg/ml, Human<br>

#### **Subcellular Localization**

Nucleus. Nucleus, nucleolus. Chromosome, telomere. Chromosome, centromere, kinetochore. Localizes in nucleoli, at telomere speckles and to the outer plate of kinetochores. Localization to the kinetochore is mediated by its central region and depends on NDC80 and CENPE.


#### **Tissue Specificity**



Anti- PINX1 Picoband antibody, ABO12186, Western blottingAll lanes: Anti PINX1 (ABO12186) at 0.5ug/mlLane 1: Human Placenta Tissue Lysate at 50ugLane 2: HELA Whole Cell Lysate at 40ugLane 3: HUT Whole Cell Lysate at 40ugLane 4: JURKAT Whole Cell Lysate at 40ugPredicted bind size: 37KDObserved bind size: 37KD

# Anti-PINX1 Picoband Antibody - Background

PINX1, also known as PIN2 interacting protein 1, is a telomerase inhibitor and a possible tumor suppressor. It is mapped to 8p23. Over-expression of PINX1 results in decreased telomerase activity, telomere shortening, and induction of crisis. Reduction of PINX1 leads to an increase in telomerase activity and elongation of telomeres. PINX1 differs from other proteins that regulate telomere length in that it acts on telomerase while other proteins adjust telomere length without affecting telomerase activity. The PINX1 budding yeast orthologue Gnop1 inhibits telomerase by isolating the uncomplexed TERT protein so that it cannot associate with the telomerase template RNA, which prevents telomerase from being assembled. However, in humans, PINX1





Ubiquitous; expressed at low levels. Not detectable in a number of hepatocarcinoma cell lines.

**Protein Name** 

PIN2/TERF1-interacting telomerase inhibitor 1

#### **Contents**

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

#### **Immunogen**

A synthetic peptide corresponding to a sequence at the N-terminus of human PINX1 (54-83aa DHIKVQVKNNHLGLGATINNEDNWIAHQDD), different from the related mouse and rat sequences by three amino acids.

#### **Purification**

Immunogen affinity purified.

#### **Cross Reactivity**

No cross reactivity with other proteins

Storage At -20°C for one

year. After r°Constitution, at

r Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time.Avoid repeated freezing and thawing.

**Sequence Similarities**Belongs to the PINX1 family.

Anti-PINX1 Picoband Antibody - Protein Information

Name PINX1


Synonyms LPTL, LPTS

# Function

Microtubule-binding protein essential for faithful chromosome segregation. Mediates TRF1 and TERT accumulation in nucleolus and enhances TRF1 binding to telomeres. Inhibits telomerase activity. May inhibit cell proliferation and act as tumor suppressor.

**Cellular Location** 

impedes already assembled telomerase.





Nucleus. Nucleus, nucleolus. Chromosome, telomere. Chromosome, centromere, kinetochore. Note=Localizes in nucleoli, at telomere speckles and to the outer plate of kinetochores Localization to the kinetochore is mediated by its central region and depends on NDC80 and CENPE

# **Tissue Location**

Ubiquitous; expressed at low levels. Not detectable in a number of hepatocarcinoma cell lines

# **Anti-PINX1 Picoband Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture