

# **Anti-Cytokeratin 10 Antibody**

Mouse Monoclonal Antibody Catalog # AH13351

## **Specification**

# Anti-Cytokeratin 10 Antibody - Product Information

Application ,14,3,4,
Primary Accession Other Accession P13645
Other Accession P9936
Reactivity Human, Dog
Host Mouse
Clonality Monoclonal
Isotype Mouse / IgG1,

kappa

Calculated MW 58827

Anti-Cytokeratin 10 Antibody - Additional Information

#### **Gene ID 3858**

#### **Other Names**

BCIE, BIE, EHK, Keratin Type I Cytoskeletal 10, KRT10

### **Format**

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

#### Storage

Store at 2 to 8°C.Antibody is stable for 24 months.

# **Precautions**


Anti-Cytokeratin 10 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-Cytokeratin 10 Antibody - Protein Information

Name KRT10

Synonyms KPP


**Function** 



Formalin-fixed, paraffin-embedded human Bladder Carcinoma stained with Cytokeratin 10 Monoclonal Antibody (SPM623).

# Anti-Cytokeratin 10 Antibody - Background

This MAb recognizes a protein of 56.5kDa, identified as cytokeratin 10 (CK10). CK10 is expressed in all suprabasal layers of the epidermis. In the epidermis, expression of CK10 strictly parallels the extent of differentiation; it is absent in the basal layer, appears in the first suprabasal layers and increases in concentration towards the granular layer. However, CK10 is rarely detected in early stages of vulvar squamous carcinomas (tumors less than 2 cm, clinical stage I) regardless of the tumor grade. In larger and more advanced tumors (greater than 2 cm, clinical stages II and III), CK10 is detected very frequently. Expression of CK10 is related to maturation of malignant keratinocytes, being preferentially detected in more-differentiated parts.





Plays a role in the establishment of the epidermal barrier on plantar skin.

#### **Cellular Location**

Secreted, extracellular space. Cell surface. Note=Localized on the surface of desquamated nasal epithelial cells (PubMed:12427098). Localized on the surface of lung cell lines (PubMed:19627498)

# **Tissue Location**

Seen in all suprabasal cell layers including stratum corneum. Expressed on the surface of lung cell lines (PubMed:19627498).

# **Anti-Cytokeratin 10 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture