

Angel1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13763

Specification

Angel1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8VCU0
Other Accession	NM_144524 , NP_653107
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Rabbit, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	73kDa KDa

Angel1 antibody - C-terminal region - Additional Information

Gene ID 68737

Alias Symbol **1110030H02Rik,**
KIAA0759,
mKIAA0759

Other Names

Protein angel homolog 1
{ECO:0000312|MGI:MGI:1915987}, Angel1
{ECO:0000312|MGI:MGI:1915987}

Format


Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Angel1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Angel1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.



WB Suggested Anti-Angel1 Antibody
Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: Mouse Liver

Angel1 antibody - C-terminal region - References

Church D.M.,et al.PLoS Biol.
7:E1000112-E1000112(2009).
Okazaki N.,et al.Submitted (FEB-2005) to the
EMBL/GenBank/DBJ databases.

Angel1 antibody - C-terminal region - Protein Information**Name** Angel1

{ECO:0000312|MGI:MGI:1915987}

Angel1 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)