

OR1J1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14440

Specification

OR1J1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8NGS3
Other Accession	NM_001004451 , NP_001004451
Reactivity	Human, Rat, Rabbit, Pig, Horse, Bovine
Predicted	Human, Rabbit, Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

OR1J1 antibody - C-terminal region - Additional Information

Gene ID 347168

Alias Symbol **OR9-18, hg32**
Other Names
Olfactory receptor 1j1, Olfactory receptor OR9-18, OR1J1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.


Reconstitution & Storage

Add 50 ul of distilled water. Final anti-OR1J1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

OR1J1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

OR1J1 antibody - C-terminal region - Protein Information



WB Suggested Anti-OR1J1 Antibody Titration:
1.0 µg/ml
Positive Control: Hela Whole Cell

OR1J1 antibody - C-terminal region - References

Suwa M.,et al.Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
Humphray S.J.,et al.Nature 429:369-374(2004).
Fuchs T.,et al.Genomics 80:295-302(2002).
Malnic B.,et al.Proc. Natl. Acad. Sci. U.S.A. 101:2584-2589(2004).
Malnic B.,et al.Proc. Natl. Acad. Sci. U.S.A. 101:7205-7205(2004).

Name OR1J1

Function

Odorant receptor.

Cellular Location

Cell membrane; Multi-pass membrane protein.

**OR1J1 antibody - C-terminal region -
Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)