

TNFRSF25 / DR3 Antibody
Rabbit Polyclonal Antibody
Catalog # ALS13646

Specification

TNFRSF25 / DR3 Antibody - Product Information

Application	WB, IHC
Primary Accession	Q93038
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45kDa KDa

TNFRSF25 / DR3 Antibody - Additional Information

Gene ID 8718

Other Names

Tumor necrosis factor receptor superfamily member 25, Apo-3, Apoptosis-inducing receptor AIR, Apoptosis-mediating receptor DR3, Apoptosis-mediating receptor TRAMP, Death receptor 3, Lymphocyte-associated receptor of death, LARD, Protein WSL, Protein WSL-1, TNFRSF25, APO3, DDR3, DR3, TNFRSF12, WSL, WSL1

Target/Specificity

Human DR3.

Reconstitution & Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Precautions

TNFRSF25 / DR3 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.


TNFRSF25 / DR3 Antibody - Protein Information

Name TNFRSF25


Synonyms APO3, DDR3, DR3, TNFRSF12, WSL, WSL1

Function

Receptor for TNFSF12/APO3L/TWEAK.



Sample(30 ug whole cell lysate). A: Hep G2. 7.5% SDS PAGE. TNFRSF25 antibody diluted at 1:1000.



Anti-DR3 antibody IHC of human small intestine.

TNFRSF25 / DR3 Antibody - Background

Receptor for TNFSF12/APO3L/TWEAK. Interacts directly with the adapter TRADD. Mediates activation of NF-kappa-B and induces apoptosis. May play a role in regulating lymphocyte homeostasis.

TNFRSF25 / DR3 Antibody - References

Kitson J.,et al.Nature 384:372-375(1996).
Chinnaiyan A.M.,et al.Science 274:990-992(1996).
Degli-Esposti M.A.,et al.Submitted (JAN-1997)

Interacts directly with the adapter TRADD. Mediates activation of NF-kappa-B and induces apoptosis. May play a role in regulating lymphocyte homeostasis.

Cellular Location

[Isoform 1]: Cell membrane; Single-pass type I membrane protein [Isoform 9]: Cell membrane; Single-pass type I membrane protein [Isoform 3]: Secreted. [Isoform 5]: Secreted. [Isoform 7]: Secreted. [Isoform 10]: Secreted.

Tissue Location

Abundantly expressed in thymocytes and lymphocytes. Detected in lymphocyte-rich tissues such as thymus, colon, intestine, and spleen. Also found in the prostate

Volume

50 µl

to the EMBL/GenBank/DDBJ databases.

Marsters S.A., et al. Curr. Biol.

6:1669-1676(1996).

Screaton G.R., et al. Proc. Natl. Acad. Sci. U.S.A.

94:4615-4619(1997).

TNFRSF25 / DR3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)