

#### **FLNA Antibody**

Mouse Monoclonal Antibody (Mab)
Catalog # AM2240b

## **Specification**

#### **FLNA Antibody - Product Information**

Application WB,E
Primary Accession P21333

Reactivity Human, Mouse,

Rat

Host Mouse Clonality Monoclonal

Isotype IgG1
Antigen Region 1-360

#### **FLNA Antibody - Additional Information**

#### **Gene ID 2316**

#### **Other Names**

Filamin-A, FLN-A, Actin-binding protein 280, ABP-280, Alpha-filamin, Endothelial actin-binding protein, Filamin-1, Non-muscle filamin, FLNA, FLN, FLN1

## **Target/Specificity**

Purified His-tagged FLNA protein was used to produced this monoclonal antibody.

#### **Dilution**

WB~~1:1000

## Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.


#### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

FLNA Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

#### **FLNA Antibody - Protein Information**



FLNA Antibody (Cat. #AM2240b) western blot analysis in PC-3 and C6 cell line lysates (35µg/lane). This demonstrates the FLNA antibody detected the FLNA protein (arrow).

# **FLNA Antibody - Background**

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNA may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface-localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis.

## **FLNA Antibody - References**

Gorlin J.B., et al. J. Cell Biol. 111:1089-1105(1990). Patrosso M.C., et al. Genomics 21:71-76(1994). Chen E.Y., et al. Hum. Mol. Genet. 5:659-668(1996). Li J., et al. Mol. Cell. Proteomics



## Name FLNA

Synonyms FLN, FLN1

#### **Function**

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNB may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface- localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis. Plays a role in cell-cell contacts and adherens junctions during the development of blood vessels, heart and brain organs. Plays a role in platelets morphology through interaction with SYK that regulates ITAM- and ITAM-like-containing receptor signaling, resulting in by platelet cytoskeleton organization maintenance (By similarity). During the axon guidance process, required for growth cone collapse induced by SEMA3A-mediated stimulation of neurons (PubMed:<a href="http://www.uniprot.org/c itations/25358863" target=" blank">25358863</a>).

# **Cellular Location**


Cytoplasm, cell cortex. Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:Q8BTM8}. Perikaryon {ECO:0000250|UniProtKB:Q8BTM8}. Cell projection, growth cone {ECO:0000250|UniProtKB:Q8BTM8}. Note=Colocalizes with CPMR1 in the central region of DRG neuron growth cone (By similarity). Following SEMA3A stimulation of DRG neurons, colocalizes with F-actin (By similarity). {ECO:0000250|UniProtKB:Q8BTM8}

**Tissue Location** Ubiquitous.

#### **FLNA Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

9:2517-2528(2010). Ota T., et al. Nat. Genet. 36:40-45(2004).





- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# **FLNA Antibody - Citations**

• <u>Filamin A Expression Negatively Regulates Sphingosine-1-Phosphate-Induced NF-κB Activation in Melanoma Cells by Inhibition of Akt Signaling.</u>