

### **RAB1B Antibody**

Purified Mouse Monoclonal Antibody (Mab)
Catalog # AM8550b

# **Specification**

#### **RAB1B Antibody - Product Information**

Application WB,E
Primary Accession Q9H0U4
Other Accession Q5RE13

Reactivity Human, Mouse,

Rat

Host Mouse
Clonality monoclonal
Isotype IgG1,k
Calculated MW 22171

**RAB1B Antibody - Additional Information** 

#### **Gene ID 81876**

### **Other Names**

Ras-related protein Rab-1B, RAB1B

### Target/Specificity

This RAB1B antibody is generated from a mouse immunized with a recombinant protein between 1-201 amino acids from human RAB1B.

## **Dilution**

WB~~1:4000

# Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.


### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

# **Precautions**

RAB1B Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**RAB1B Antibody - Protein Information** 



All lanes: Anti-RAB1B Antibody at 1:4000 dilution Lane 1: Hela whole cell lysate Lane 2: A431 whole cell lysate Lane 3: U-20S whole cell lysate Lane 4: rat liver lysate Lane 5: NIH/3T3 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 22 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

# **RAB1B Antibody - Background**

The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. RAB1B regulates vesicular transport between the endoplasmic reticulum and successive Golgi compartments. Plays a role in the initial events of the autophagic vacuole development which take place at specialized regions of the endoplasmic reticulum.





# Name RAB1B

#### **Function**

The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes (PubMed:<a href=" http://www.uniprot.org/citations/20545908" target="\_blank">20545908</a>, PubMed: <a href="http://www.uniprot.org/ci"> tations/9437002" target=" blank">9437002</a>). Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion (PubMed:<a href="http://www.u niprot.org/citations/9437002" target=" blank">9437002</a>). Plays a role in the initial events of the autophagic vacuole development which take place at specialized regions of the endoplasmic reticulum (PubMed:<a href="http://www.uni prot.org/citations/20545908" target=" blank">20545908</a>). Regulates vesicular transport between the endoplasmic reticulum and successive Golgi compartments (By similarity). Promotes the recruitment of lipid phosphatase MTMR6 to the endoplasmic reticulum-Golgi intermediate compartment (By similarity).

#### **Cellular Location**


Cytoplasm. Membrane; Lipid-anchor; Cytoplasmic side. Preautophagosomal structure membrane; Lipid-anchor; Cytoplasmic side. Cytoplasm, perinuclear region {ECO:0000250|UniProtKB:P10536}. Note=Targeted by REP1 to membranes of specific subcellular compartments including endoplasmic reticulum, Golgi apparatus, and intermediate vesicles between these two compartments (PubMed:11389151). In the GDP-form, colocalizes with GDI in the cytoplasm (PubMed:11389151). Co-localizes with MTMR6 to the endoplasmic reticulum-Golgi intermediate compartment and to the peri- Golgi region (By similarity). {ECO:0000250|UniProtKB:P10536, ECO:0000269|PubMed:11389151}

# **RAB1B Antibody - Protocols**

Provided below are standard protocols that you

### **RAB1B Antibody - References**

Zhao Y.,et al.Submitted (SEP-1998) to the EMBL/GenBank/DDBJ databases. Wiemann S.,et al.Genome Res. 11:422-435(2001). Ota T.,et al.Nat. Genet. 36:40-45(2004). Bienvenut W.V.,et al.Submitted (JUN-2005) to UniProtKB. Wilson A.L.,et al.Biochem. J. 318:1007-1014(1996).





may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture