

TUBB6 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11928c

Specification

TUBB6 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q9BUF5
Other Accession	Q9D6F9 , Q4R4X8 , P04350 , Q3ZBU7 , NP_115914.1
Reactivity Predicted	Human Bovine, Monkey, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	49857
Antigen Region	139-166

TUBB6 Antibody (Center) - Additional Information

Gene ID 84617

Other Names

Tubulin beta-6 chain, Tubulin beta class V, TUBB6

Target/Specificity

This TUBB6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 139-166 amino acids from the Central region of human TUBB6.

Dilution


WB~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.



All lanes : Anti-TUBB6 Antibody (Center) at 1:2000 dilution Lane 1: K562 whole cell lysate Lane 2: MDA-MB-231 whole cell lysate Lane 3: HeLa whole cell lysate Lane 4: A431 whole cell lysate Lane 5: A549 whole cell lysate Lane 6: U-251MG whole cell lysate Lane 7: MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 50 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

TUBB6 Antibody (Center) - Background

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain (By similarity).

TUBB6 Antibody (Center) - References

Leandro-Garcia, L.J., et al. Cytoskeleton (Hoboken) 67(4):214-223(2010)
Matsuoka, S., et al. Science 316(5828):1160-1166(2007)

Precautions

TUBB6 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

TUBB6 Antibody (Center) - Protein Information**Name** TUBB6**Function**

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

Cellular Location

Cytoplasm, cytoskeleton.

Tissue Location

Ubiquitous. Maximal expression in breast and lung, where it represents around 10% of all beta-tubulins. Largely decreased expression in most cancerous tissues.

TUBB6 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)