

ARL8A Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13458C

Specification

ARL8A Antibody (Center) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q96BM9
Other Accession	Q8VEH3 , Q5ZKQ8 , NP_620150.1
Reactivity	Human
Predicted	Chicken, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	21416
Antigen Region	82-110

ARL8A Antibody (Center) - Additional Information

Gene ID 127829

Other Names

ADP-ribosylation factor-like protein 8A,
ADP-ribosylation factor-like protein 10B,
Novel small G protein indispensable for
equal chromosome segregation 2, ARL8A,
ARL10B, GIE2

Target/Specificity

This ARL8A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the Central region of human ARL8A.

Dilution


WB~~1:1000
IHC-P~~1:10~50

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw



ARL8A Antibody (Center) (Cat. #AP13458c) western blot analysis in human normal Uterus tissue lysates (35ug/lane). This demonstrates the ARL8A antibody detected the ARL8A protein (arrow).



ARL8A Antibody (Center) (Cat. #AP13458c) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung adenocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ARL8A Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

cycles.

Precautions

ARL8A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ARL8A Antibody (Center) - Protein Information

Name ARL8A

Synonyms ARL10B, GIE2

Function

Plays a role in lysosome motility (By similarity). In neurons, mediates the anterograde axonal long-range transport of presynaptic lysosome-related vesicles required for presynaptic biogenesis and synaptic function (By similarity). May play a role in chromosome segregation (By similarity).

Cellular Location

Late endosome membrane
{ECO:0000250|UniProtKB:Q9NVJ2}.
Lysosome membrane
{ECO:0000250|UniProtKB:Q9CQW2}.
Cytoplasm, cytoskeleton, spindle
{ECO:0000250|UniProtKB:Q9NVJ2}. Cell projection, axon
{ECO:0000250|UniProtKB:Q9CQW2}. Cell junction, synapse
{ECO:0000250|UniProtKB:Q9CQW2}.
Note=Localizes with microtubules at the spindle mid-zone during mitosis.
{ECO:0000250|UniProtKB:Q9NVJ2}

Tissue Location

Ubiquitously expressed.

ARL8A Antibody (Center) - Background

ARL8A may play a role in lysosomes motility. Alternatively, may play a role in chromosome segregation (By similarity).

ARL8A Antibody (Center) - References

Lamesch, P., et al. Genomics 89(3):307-315(2007) Hofmann, I., et al. J. Cell. Sci. 119 (PT 8), 1494-1503 (2006) : Okai, T., et al. J. Cell. Sci. 117 (PT 20), 4705-4715 (2004) : Secombe, J., et al. J. Biol. Chem. 279(17):17126-17133(2004)

ARL8A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)