

BECN1 Antibody (N-term T72)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14089a

Specification

BECN1 Antibody (N-term T72) - Product Information

Application	WB,E
Primary Accession	Q14457
Other Accession	NP_003757.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	51896
Antigen Region	52-78

BECN1 Antibody (N-term T72) - Additional Information

Gene ID 8678

Other Names

Beclin-1, Coiled-coil myosin-like
BCL2-interacting protein, Protein GT197,
BECN1, GT197

Target/Specificity

This BECN1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 52-78 amino acids from the N-terminal region of human BECN1.

Dilution

WB~~1:1000


Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.


Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions



BECN1 Antibody (pT72) (Cat. #AP14089a) western blot analysis in Jurkat cell line lysates (35ug/lane). This demonstrates the BECN1 antibody detected the BECN1 protein (arrow).



Anti-BECN1 Antibody (N-term T72) at 1:1000 dilution + HeLa whole cell lysate
Lysates/proteins at 20 µg per lane.
Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution.
Predicted band size : 52 kDa
Blocking/Dilution buffer: 5% NFDM/TBST.

BECN1 Antibody (N-term T72) -

BECN1 Antibody (N-term T72) is for research use only and not for use in diagnostic or therapeutic procedures.

BECN1 Antibody (N-term T72) - Protein Information

Name BECN1

Synonyms GT197

Function

Plays a central role in autophagy (PubMed:23184933, PubMed:28445460). Acts as core subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate; different complex forms are believed to play a role in multiple membrane trafficking pathways: PI3KC3-C1 is involved in initiation of autophagosomes and PI3KC3-C2 in maturation of autophagosomes and endocytosis. Involved in regulation of degradative endocytic trafficking and required for the abscission step in cytokinesis, probably in the context of PI3KC3-C2 (PubMed:20643123, PubMed:20208530, PubMed:26783301). Essential for the formation of PI3KC3-C2 but not PI3KC3-C1 PI3K complex forms. Involved in endocytosis (PubMed:25275521). Protects against infection by a neurovirulent strain of Sindbis virus (PubMed:9765397). May play a role in antiviral host defense.

Cellular Location

Cytoplasm
{ECO:0000250|UniProtKB:O88597,
ECO:0000269|PubMed:19713971,
ECO:0000269|PubMed:21364619}. Golgi
apparatus, trans-Golgi network membrane;

Background

Beclin-1 participates in the regulation of autophagy and has an important role in development, tumorigenesis, and neurodegeneration (Zhong et al., 2009 [PubMed 19270693]).[supplied by OMIM].

BECN1 Antibody (N-term T72) - References

Koukourakis, M.I., et al. Br. J. Cancer 103(8):1209-1214(2010)
Jaeger, P.A., et al. Arch. Neurol. 67(10):1181-1184(2010)
Metzger, S., et al. Hum. Genet. 128(4):453-459(2010)
Oberstein, A., et al. J. Biol. Chem. 282(17):13123-13132(2007)
Furuya, N., et al. Autophagy 1(1):46-52(2005)

Peripheral membrane protein. Endosome membrane; Peripheral membrane protein. Endoplasmic reticulum membrane; Peripheral membrane protein. Mitochondrion membrane; Peripheral membrane protein. Endosome {ECO:0000250|UniProtKB:O88597} Cytoplasmic vesicle, autophagosome. Note=Interaction with ATG14 promotes translocation to autophagosomes. Expressed in dendrites and cell bodies of cerebellar Purkinje cells (By similarity) {ECO:0000250|UniProtKB:O88597, ECO:0000269|PubMed:19050071} [Beclin-1-C 37 kDa]: Mitochondrion {ECO:0000250|UniProtKB:O88597}

Tissue Location

Ubiquitous.

BECN1 Antibody (N-term T72) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)