

RAB11A Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14530c

Specification

RAB11A Antibody (Center) - Product Information

Application	WB,E
Primary Accession	P62491
Other Accession	Q35509 , P46638 , Q15907 , Q3MHP2 , P62494 , P62493 , Q52NJ1 , P62492 , Q5ZJN2 , Q2TA29 , NP_004654.1
Reactivity Predicted	Human Bovine, Chicken, Mouse, Pig, Rabbit, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	24394
Antigen Region	88-116

RAB11A Antibody (Center) - Additional Information

Gene ID 8766

Other Names

Ras-related protein Rab-11A, Rab-11, YL8, RAB11A, RAB11

Target/Specificity

This RAB11A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 88-116 amino acids from the Central region of human RAB11A.


Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage



RAB11A Antibody (Center) (Cat. #AP14530c) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the RAB11A antibody detected the RAB11A protein (arrow).

RAB11A Antibody (Center) - Background

The protein encoded by this gene belongs to the small GTPase superfamily, Rab family. It is associated with both constitutive and regulated secretory pathways, and may be involved in protein transport.

RAB11A Antibody (Center) - References

- Husebye, H., et al. Immunity 33(4):583-596(2010)
- Cayouette, S., et al. Biochim. Biophys. Acta 1803(7):805-812(2010)
- Reid, H.M., et al. J. Biol. Chem. 285(24):18709-18726(2010)
- Bruce, E.A., et al. J. Virol. 84(12):5848-5859(2010)
- Knodler, A., et al. Proc. Natl. Acad. Sci. U.S.A. 107(14):6346-6351(2010)

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RAB11A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

RAB11A Antibody (Center) - Protein Information

Name RAB11A

Synonyms RAB11

Function

The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. The small Rab GTPase RAB11A regulates endocytic recycling. Acts as a major regulator of membrane delivery during cytokinesis. Together with MYO5B and RAB8A participates in epithelial cell polarization. Together with RAB3IP, RAB8A, the exocyst complex, PARD3, PRKCI, ANXA2, CDC42 and DNMBP promotes transcytosis of PODXL to the apical membrane initiation sites (AMIS), apical surface formation and lumenogenesis. Together with MYO5B participates in CFTR trafficking to the plasma membrane and TF (Transferrin) recycling in nonpolarized cells. Required in a complex with MYO5B and RAB11FIP2 for the transport of NPC1L1 to the plasma membrane. Participates in the sorting and basolateral transport of CDH1 from the Golgi apparatus to the plasma membrane. Regulates the recycling of FCGRT (receptor of Fc region of monomeric Ig G) to basolateral membranes. May also play a role in melanosome transport and release from melanocytes.

Cellular Location

Cell membrane; Lipid-anchor. Recycling endosome membrane; Lipid-anchor. Cleavage furrow. Cytoplasmic vesicle, phagosome. Cytoplasmic vesicle

membrane. Note=Translocates with RAB11FIP2 from the vesicles of the endocytic recycling compartment (ERC) to the plasma membrane (PubMed:11994279). Localizes to the cleavage furrow (PubMed:15601896). Colocalizes with PAR3, PRKCI, EXOC5, OCLN, PODXL and RAB8A in apical membrane initiation sites (AMIS) during the generation of apical surface and lumenogenesis (PubMed:20890297) Recruited to phagosomes containing S.aureus or M.tuberculosis (PubMed:21255211).

RAB11A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)