10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.622.0609

TNFSF14 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP14595c

Specification

TNFSF14 Antibody (Center) - Product Information

Application	**WB,E**
Primary Accession	O43557
Other Accession	NP_742011.2, NP_003798.2
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit Ig**
Calculated MW	**26350**
Antigen Region	**66-94**

TNFSF14 Antibody (Center) - Additional Information

Gene ID 8740

Other Names
Tumor necrosis factor ligand superfamily member 14, Herpes virus entry mediator ligand, HVEM-L, Herpesvirus entry mediator ligand, CD258, Tumor necrosis factor ligand superfamily member 14, membrane form, Tumor necrosis factor ligand superfamily member 14, soluble form, TNFSF14, HVEML, LIGHT

Target/Specificity
This TNFSF14 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 66-94 amino acids from the Central region of human TNFSF14.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2



TNFSF14 Antibody (Center) (Cat. #AP14595c) western blot analysis in A549 cell line lysates (35ug/lane).This demonstrates the TNFSF14 antibody detected the TNFSF14 protein (arrow).

TNFSF14 Antibody (Center) - Background

The protein encoded by this gene is a member of the tumor
necrosis factor (TNF) ligand family. This protein is a ligand for
TNFRSF14, which is a member of the tumor necrosis factor receptor
superfamily, and which is also known as a herpesvirus entry
mediator (HVEM). This protein may function as a costimulatory
factor for the activation of lymphoid cells and as a deterrent to
infection by herpesvirus. This protein has been shown to stimulate
the proliferation of T cells, and trigger apoptosis of various
tumor cells. This protein is also reported to prevent tumor
necrosis factor alpha mediated apoptosis in primary hepatocyte. Two
alternatively spliced transcript variant encoding distinct isoforms
have been reported.

weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
TNFSF14 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

TNFSF14 Antibody (Center) - Protein Information

Name TNFSF14

Synonyms HVEML, LIGHT

Function
Cytokine that binds to TNFRSF3/LTBR. Binding to the decoy receptor TNFRSF6B modulates its effects. Acts as a ligand for TNFRSF14/HVEM (PubMed:9462508, PubMed:10754304). Upon binding to TNFRSF14/HVEM, delivers costimulatory signals to T cells, leading to T cell proliferation and IFNG production (PubMed:10754304).

Cellular Location
[Tumor necrosis factor ligand superfamily member 14, membrane form]: Cell membrane; Single-pass type II membrane protein [Isoform 2]: Cytoplasm.

Tissue Location
Predominantly expressed in the spleen but also found in the brain. Weakly expressed in peripheral lymphoid tissues and in heart, placenta, liver, lung, appendix, and kidney, and no expression seen in fetal tissues, endocrine glands, or nonhematopoietic tumor lines.

TNFSF14 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides

TNFSF14 Antibody (Center) - References

Stiles, K.M., et al. J. Virol. 84(22):11646-11660(2010)
Jin, H.R., et al. Biochem. Biophys. Res. Commun. 400(4):581-586(2010)
Shimada, M., et al. Hum. Genet. 128(4):433-441(2010)
Cheung, T.C., et al. J. Immunol. 185(3):1949-1958(2010)
Yokoyama, K., et al. Nephron Clin Pract 115 (4), C237-C243 (2010) :

- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture