

IHH Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14935a

Specification

IHH Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q14623
Other Accession	P97812 , NP_002172.2 , Q80XI9
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	45251
Antigen Region	51-80

IHH Antibody (N-term) - Additional Information

Gene ID 3549

Other Names

Indian hedgehog protein, IHH, HHG-2,
Indian hedgehog protein N-product, Indian
hedgehog protein C-product, IHH

Target/Specificity

This IHH antibody is generated from rabbits
immunized with a KLH conjugated synthetic
peptide between 51-80 amino acids from
the N-terminal region of human IHH.

Dilution


WB~~1:1000
IHC-P~~1:10~50

Format


Purified polyclonal antibody supplied in PBS
with 0.09% (W/V) sodium azide. This
antibody is purified through a protein A
column, followed by peptide affinity
purification.

Storage

Maintain refrigerated at 2-8°C for up to 2
weeks. For long term storage store at -20°C
in small aliquots to prevent freeze-thaw
cycles.



IHH Antibody (N-term) (Cat. #AP14935a)
western blot analysis in HepG2 cell line
lysates (35ug/lane). This demonstrates the
IHH antibody detected the IHH protein
(arrow).



IHH Antibody (N-term)
(AP14935a)immunohistochemistry analysis in
formalin fixed and paraffin embedded human
liver tissue followed by peroxidase
conjugation of the secondary antibody and
DAB staining.This data demonstrates the use
of IHH Antibody (N-term) for
immunohistochemistry. Clinical relevance has
not been evaluated.

Precautions

IHH Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

IHH Antibody (N-term) - Protein Information

Name IHH

Function

Intercellular signal essential for a variety of patterning events during development. Binds to the patched (PTC) receptor, which functions in association with smoothened (SMO), to activate the transcription of target genes. Implicated in endochondral ossification: may regulate the balance between growth and ossification of the developing bones. Induces the expression of parathyroid hormone-related protein (PTHRP) (By similarity).

Cellular Location

[Indian hedgehog protein N-product]: Cell membrane; Lipid-anchor; Extracellular side. Note=The N-terminal peptide remains associated with the cell surface. Cell membrane.

Tissue Location

Expressed in embryonic lung, and in adult kidney and liver

IHH Antibody (N-term) - Background

This gene encodes a member of the hedgehog family of secreted signaling molecules. Hedgehog proteins are essential regulators of a variety of developmental processes including growth, patterning and morphogenesis. The encoded protein specifically plays a role in bone growth and differentiation. Mutations in this gene are the cause of brachydactyly type A1 which is characterized by shortening or malformation of the phalanges. Mutations in this gene are also the cause of acrocapitofemoral dysplasia.

IHH Antibody (N-term) - References

Meulenbelt, I., et al. Ann. Rheum. Dis. (2010) In press :
Kang, S.J., et al. Hum. Mol. Genet. 19(13):2725-2738(2010)
Okada, Y., et al. Hum. Mol. Genet. 19(11):2303-2312(2010)
Zhao, J., et al. BMC Med. Genet. 11, 96 (2010) :
Chuang, P.T., et al. Nature 397(6720):617-621(1999)

IHH Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)