

SATB2 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16464c

Specification

SATB2 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q9UPW6
Other Accession	Q8VI24 , NP_056080.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	82555
Antigen Region	410-439

SATB2 Antibody (Center) - Additional Information

Gene ID 23314

Other Names

DNA-binding protein SATB2, Special AT-rich sequence-binding protein 2, SATB2, KIAA1034

Target/Specificity

This SATB2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 410-439 amino acids from the Central region of human SATB2.

Dilution

WB~~1:1000


Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions



SATB2 Antibody (Center) (Cat. #AP16464c) western blot analysis in MCF-7 cell line lysates (35ug/lane). This demonstrates the SATB2 antibody detected the SATB2 protein (arrow).

SATB2 Antibody (Center) - Background

This gene encodes a DNA binding protein that specifically binds nuclear matrix attachment regions. The encoded protein is involved in transcription regulation and chromatin remodeling. Defects in this gene are associated with isolated cleft palate and mental retardation. Alternate splicing results in multiple transcript variants that encode the same protein. [provided by RefSeq].

SATB2 Antibody (Center) - References

McGovern, D.P., et al. Nat. Genet. 42(4):332-337(2010)
Carter, T.C., et al. Birth Defects Res. Part A Clin. Mol. Teratol. 88(2):84-93(2010)
Jugessur, A., et al. PLoS ONE 5 (7), E11493 (2010) :
Rosenfeld, J.A., et al. PLoS ONE 4 (8), E6568

SATB2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

(2009) :
Beaty, T.H., et al. Hum. Genet.
120(4):501-518(2006)

SATB2 Antibody (Center) - Protein Information

Name SATB2

Synonyms KIAA1034

Function

Binds to DNA, at nuclear matrix- or scaffold-associated regions. Thought to recognize the sugar-phosphate structure of double- stranded DNA. Transcription factor controlling nuclear gene expression, by binding to matrix attachment regions (MARs) of DNA and inducing a local chromatin-loop remodeling. Acts as a docking site for several chromatin remodeling enzymes and also by recruiting corepressors (HDACs) or coactivators (HATs) directly to promoters and enhancers. Required for the initiation of the upper-layer neurons (UL1) specific genetic program and for the inactivation of deep-layer neurons (DL) and UL2 specific genes, probably by modulating BCL11B expression. Repressor of Ctbp2 and regulatory determinant of corticocortical connections in the developing cerebral cortex. May play an important role in palate formation. Acts as a molecular node in a transcriptional network regulating skeletal development and osteoblast differentiation.

Cellular Location

Nucleus matrix {ECO:0000255|PROSITE-ProRule:PRU00108,
ECO:0000255|PROSITE-ProRule:PRU00374,
ECO:0000269|PubMed:14701874}

Tissue Location

High expression in adult brain, moderate expression in fetal brain, and weak expression in adult liver, kidney, and spinal cord and in select brain regions, including amygdala, corpus callosum, caudate nucleus, and hippocampus.

SATB2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)