

TTK Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP17197a

Specification

TTK Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	P33981
Other Accession	Q4R945 , NP_003309.2
Reactivity	Human
Predicted	Monkey
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	97072
Antigen Region	6-35

TTK Antibody (N-term) - Additional Information

Gene ID 7272

Other Names

Dual specificity protein kinase TTK,
Phosphotyrosine picked threonine-protein
kinase, PYT, TTK, MPS1, MPS1L1

Target/Specificity

This TTK antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 6-35 amino acids from the N-terminal region of human TTK.

Dilution

WB~~1:1000

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TTK Antibody (N-term) is for research use



TTK Antibody (N-term) (Cat. #AP17197a) western blot analysis in SK-BR-3 cell line lysates (35ug/lane). This demonstrates the TTK antibody detected the TTK protein (arrow).

TTK Antibody (N-term) - Background

This gene encodes a dual specificity protein kinase with the ability to phosphorylate tyrosine, serine and threonine. Associated with cell proliferation, this protein is essential for chromosome alignment at the centromere during mitosis and is required for centrosome duplication. It has been found to be a critical mitotic checkpoint protein for accurate segregation of chromosomes during mitosis. Tumorigenesis may occur when this protein fails to degrade and produces excess centrosomes resulting in aberrant mitotic spindles. Alternative splicing results in multiple transcript variants.

TTK Antibody (N-term) - References

Cui, Y., et al. J. Biol. Chem.

only and not for use in diagnostic or therapeutic procedures.

TTK Antibody (N-term) - Protein Information

Name TTK

Synonyms MPS1, MPS1L1

Function

Phosphorylates proteins on serine, threonine, and tyrosine (PubMed:18243099, PubMed:29162720). Probably associated with cell proliferation (PubMed:18243099). Phosphorylates MAD1L1 to promote mitotic checkpoint signaling (PubMed:29162720). Essential for chromosome alignment by enhancing AURKB activity (via direct CDCA8 phosphorylation) at the centromere, and for the mitotic checkpoint (PubMed:18243099).

Tissue Location

Present in rapidly proliferating cell lines.

285(43):32988-32998(2010)
Maciejowski, J., et al. J. Cell Biol. 190(1):89-100(2010)
Santaguida, S., et al. J. Cell Biol. 190(1):73-87(2010)
Hewitt, L., et al. J. Cell Biol. 190(1):25-34(2010)
Lan, W., et al. J. Cell Biol. 190(1):21-24(2010)

TTK Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)