

# NKX2-1 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17825c

# **Specification**

#### NKX2-1 Antibody (Center) - Product Information

Application WB,E
Primary Accession P43699

Other Accession Q9EQM3, Q9H2Z4,

P23441, P50220, NP 003308.1

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Human
Mouse, Rat
Rabbit
Polyclonal
Rabbit Ig
38596

2-1

NKX2-1 Antibody (Center) - Additional Information

## **Gene ID 7080**

Antigen Region

### **Other Names**

Homeobox protein Nkx-21, Homeobox protein NK-2 homolog A, Thyroid nuclear factor 1, Thyroid transcription factor 1, TTF-1, Thyroid-specific enhancer-binding protein, T/EBP, NKX2-1, NKX2A, TITF1, TTF1

## **Target/Specificity**

This NKX2-1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 197-226 amino acids from the Central region of human NKX2-1.

#### **Dilution**


WB~~1:1000

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

## Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C



NKX2-1 Antibody (Center) (Cat. #AP17825c) western blot analysis in ZR-75-1 cell line lysates (35ug/lane). This demonstrates the NKX2-1 antibody detected the NKX2-1 protein (arrow).

# NKX2-1 Antibody (Center) - Background

This gene encodes a protein initially identified as a

thyroid-specific transcription factor. The encoded protein binds to

thyroglobulin promoter and regulates the expression of

thyroid-specific genes but has also been shown to regulate the

expression of genes involved in morphogenesis. Mutations and

deletions in this gene are associated with benign hereditary

chorea, choreoathetosis, congenital hypothyroidism, and neonatal

respiratory distress, and may be associated with thyroid cancer.

Multiple transcript variants encoding different isoforms have been found for this gene.

# NKX2-1 Antibody (Center) - References

Kim, J.H., et al. Acta Cytol.





in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

NKX2-1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

NKX2-1 Antibody (Center) - Protein Information

Name NKX2-1 (HGNC:11825)

Synonyms NKX2A, TITF1, TTF1

#### **Function**

Transcription factor that binds and activates the promoter of thyroid specific genes such as thyroglobulin, thyroperoxidase, and thyrotropin receptor. Crucial in the maintenance of the thyroid differentiation phenotype. May play a role in lung development and surfactant homeostasis. Forms a regulatory loop with GRHL2 that coordinates lung epithelial cell morphogenesis and differentiation. Activates the transcription of GNRHR and plays a role in enhancing the circadian oscillation of its gene expression. Represses the transcription of the circadian transcriptional repressor NR1D1 (By similarity).

## **Cellular Location**

Nucleus {ECO:0000250|UniProtKB:P50220}.

### **Tissue Location**

Thyroid and lung.

## NKX2-1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

54(3):277-282(2010) Xu, B., et al. Appl. Immunohistochem. Mol. Morphol. 18(3):244-249(2010) Narumi, S., et al. J. Clin. Endocrinol. Metab. 95(4):1981-1985(2010) Guillot, L., et al. Hum. Mutat. 31 (2), E1146-E1162 (2010): Cantara, S., et al. Thyroid Res 3 (1), 4 (2010):