

ZNF317 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18287c

Specification

ZNF317 Antibody (Center) - Product Information

Application	WB, E
Primary Accession	Q96PQ6
Other Accession	NP_001177720.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	67959
Antigen Region	173-199

ZNF317 Antibody (Center) - Additional Information

Gene ID 57693

Other Names

Zinc finger protein 317, ZNF317, KIAA1588

Target/Specificity

This ZNF317 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 173-199 amino acids from the Central region of human ZNF317.

Dilution

WB~1:1000

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF317 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.



ZNF317 Antibody (Center) (Cat. #AP18287c) western blot analysis in HL-60 cell line lysates (35ug/lane). This demonstrates the ZNF317 antibody detected the ZNF317 protein (arrow).

ZNF317 Antibody (Center) - Background

ZNF317 may function as a transcription factor. May play an important role in erythroid maturation and lymphoid proliferation.

ZNF317 Antibody (Center) - References

Takashima, H., et al. Biochem. Biophys. Res. Commun. 288(4):771-779(2001)

ZNF317 Antibody (Center) - Protein Information**Name** ZNF317**Synonyms** KIAA1588**Function**

May function as a transcription factor. May play an important role in erythroid maturation and lymphoid proliferation.

Cellular Location

Nucleus.

Tissue Location

Isoform 1 and isoform 2 are ubiquitously expressed. Isoform 3 and isoform 4 are expressed only in lymphocytes, spleen and lung.

ZNF317 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)