

SERPINB11 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18302c

Specification

SERPINB11 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q96P15
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	44099
Antigen Region	170-196

SERPINB11 Antibody (Center) - Additional Information

Gene ID 89778

Other Names

Serpin B11, SERPINB11

Target/Specificity

This SERPINB11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 170-196 amino acids from the Central region of human SERPINB11.

Dilution

WB~~1:1000

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SERPINB11 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.



SERPINB11 Antibody (Center) (Cat. #AP18302c) western blot analysis in Hela cell line lysates (35ug/lane). This demonstrates the SERPINB11 antibody detected the SERPINB11 protein (arrow).

SERPINB11 Antibody (Center) - Background

SerpinB11 is a serine proteinase inhibitor of the ovalbumin-like B clade of serpins. It was first discovered in human lung and prostate. Little is known about SerpinB11 tissue distribution and function. Splice variants of 305, 278 and 190 amino acids have been reported, with predicted masses of 33.97, 31.6 and 21.1 kDa respectively, and pIs of 8.11, 9.03 and 6.07 respectively. The 305 and 190 amino acid forms share the same aminotermminus as the 392 amino acid form. The 305 amino acid form has a deletion in residues 120-206, of the 392 amino acid form. The 190 amino acid form has a deletion in residues 57-259 relative to the long form. The 278 amino acid form starts at the third methionine, relative to the long form. All four forms contain the reactive center loop of the long form, but it is unknown if the shorter forms are active serpins. The predicted isoelectric points of SerpinB11 are significantly more basic than the other B clade serpins, and

SERPINB11 Antibody (Center) - Protein Information

suggest a different localization or function for this serpin.

Name SERPINB11

Function

Has no serine protease inhibitory activity, probably due to mutations in the scaffold impairing conformational change.

Cellular Location

Cytoplasm.

Tissue Location

Detected in a restricted number of tissues, including lung, placenta, prostate, and tonsil

SERPINB11 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)