

DHH Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19172c

Specification

DHH Antibody (Center) - Product Information

Application	WB, E
Primary Accession	O43323
Other Accession	Q61488 , NP_066382.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	43577
Antigen Region	195-223

DHH Antibody (Center) - Additional Information

Gene ID 50846

Other Names

Desert hedgehog protein, DHH, HHG-3, Desert hedgehog protein N-product, Desert hedgehog protein C-product, DHH

Target/Specificity

This DHH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 195-223 amino acids from the Central region of human DHH.

Dilution

WB~1:1000


Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions



DHH Antibody (Center) (Cat. #AP19172c) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the DHH antibody detected the DHH protein (arrow).

DHH Antibody (Center) - Background

This gene encodes a member of the hedgehog family. The hedgehog gene family encodes signaling molecules that play an important role in regulating morphogenesis. This protein is predicted to be made as a precursor that is autocatalytically cleaved; the N-terminal portion is soluble and contains the signalling activity while the C-terminal portion is involved in precursor processing. More importantly, the C-terminal product covalently attaches a cholesterol moiety to the N-terminal product, restricting the N-terminal product to the cell surface and preventing it from freely diffusing throughout the organism. Defects in this protein have been associated with partial gonadal dysgenesis (PGD) accompanied by

DHH Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

DHH Antibody (Center) - Protein Information

Name DHH

Function

Intercellular signal essential for a variety of patterning events during development. May function as a spermatocyte survival factor in the testes. Essential for testes development.

Cellular Location

[Desert hedgehog protein N-product]: Cell membrane; Lipid-anchor; Extracellular side.
Note=The N-terminal peptide remains associated with the cell surface.

minifascicular polyneuropathy. This protein may be involved in both male gonadal differentiation and perineurial development.

DHH Antibody (Center) - References

Chinchilla, P., et al. Cell Cycle 9(3):570-579(2010)
Bishop, B., et al. Nat. Struct. Mol. Biol. 16(7):698-703(2009)
Hegde, G.V., et al. Mol. Cancer Res. 6(12):1928-1936(2008)
Nakamura, M., et al. Fukuoka Igaku Zasshi 99(5):102-106(2008)
Canto, P., et al. Mol. Hum. Reprod. 11(11):833-836(2005)

DHH Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)