

## SERPINE1 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20852c

#### **Specification**

# **SERPINE1 Antibody (C-term) - Product Information**

Application
Primary Accession
Reactivity
Host
Clonality
Isotype
Calculated MW

WB,E
P05121
Human
Rabbit
Polyclonal
Rabbit Ig
45060

SERPINE1 Antibody (C-term) - Additional Information

#### **Gene ID 5054**

#### Other Names

Plasminogen activator inhibitor 1, PAI, PAI-1, Endothelial plasminogen activator inhibitor, Serpin E1, SERPINE1, PAI1, PLANH1

# Target/Specificity

This SERPINE1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 323-357 amino acids from the C-terminal region of human SERPINE1.

#### **Dilution**

WB~~1:1000

#### **Format**


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

# Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

SERPINE1 Antibody (C-term) is for research



Western blot analysis of lysate from human liver tissue, using SERPINE1 Antibody (C-term)(Cat. #AP20852c). AP20852c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 20ug.

### SERPINE1 Antibody (C-term) - Background

Serine protease inhibitor. This inhibitor acts as 'bait' for tissue plasminogen activator, urokinase, protein C and matriptase-3/TMPRSS7. Its rapid interaction with PLAT may function as a major control point in the regulation of fibrinolysis.

# **SERPINE1** Antibody (C-term) - References

Pannekoek H.,et al.EMBO J. 5:2539-2544(1986). Loskutoff D.J.,et al.Biochemistry 26:3763-3768(1987). Ginsburg D.,et al.J. Clin. Invest. 78:1673-1680(1986). Follo M.,et al.Gene 84:447-453(1989). Strandberg L.,et al.Eur. J. Biochem. 176:609-616(1988).



use only and not for use in diagnostic or therapeutic procedures.

SERPINE1 Antibody (C-term) - Protein Information

Name SERPINE1

Synonyms PAI1, PLANH1

#### **Function**

Serine protease inhibitor. Inhibits TMPRSS7 (PubMed:<a href="http://www.uniprot.org/c itations/15853774" target=" blank">15853774</a>). Is a primary inhibitor of tissue-type plasminogen activator (PLAT) and urokinase-type plasminogen activator (PLAU). As PLAT inhibitor, it is required for fibrinolysis down-regulation and is responsible for the controlled degradation of blood clots (PubMed:<a href="http://www.uniprot.org/c itations/8481516" target="\_blank">8481516</a>, PubMed:<a href="http://www.uniprot.org/ci tations/9207454" target=" blank">9207454</a>, PubMed:<a href="http://www.uniprot.org/ci tations/17912461" target="\_blank">17912461</a>). As PLAU inhibitor, it is involved in the regulation of cell adhesion and spreading (PubMed: <a hr ef="http://www.uniprot.org/citations/91757 05" target=" blank">9175705</a>). Acts as a regulator of cell migration, independently of its role as protease inhibitor (PubMed:<a href="http://www.unip rot.org/citations/15001579" target=" blank">15001579</a>, PubMed:<a href="http://www.uniprot.org/ci tations/9168821" target=" blank">9168821</a>). It is required for stimulation of keratinocyte migration during cutaneous injury repair (PubMed:<a href="http://www.uniprot.org/c itations/18386027" target=" blank">18386027</a>). It is involved in cellular and replicative senescence (PubMed:<a href="http://www. uniprot.org/citations/16862142" target=" blank">16862142</a>). Plays a role in alveolar type 2 cells senescence in the lung (By similarity). Is involved in the regulation of cementogenic differentiation of periodontal ligament stem cells, and

regulates odontoblast differentiation and



dentin formation during odontogenesis (PubMed:<a href="http://www.uniprot.org/c itations/25808697" target="\_blank">25808697</a>, PubMed:<a href="http://www.uniprot.org/ci tations/27046084" target="\_blank">27046084</a>).

# **Cellular Location** Secreted.

### **Tissue Location**

Expressed in endothelial cells (PubMed:2430793, PubMed:3097076). Found in plasma, platelets, and hepatoma and fibrosarcoma cells.

# **SERPINE1 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture