

Phospho-PDHE1A(S232) Antibody

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP3758A

Specification

Phospho-PDHE1A(S232) Antibody - Product Information

Application WB, DB,E Primary Accession P08559

Other Accession P26284, P29804,

P35486, Q8HXW9,

A7MB35, NP_000275.1

Reactivity Human

Predicted Bovine, Monkey,

Mouse, Pig, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG

Phospho-PDHE1A(S232) Antibody - Additional Information

Gene ID 5160

Other Names

Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial, PDHE1-A type I, PDHA1, PHE1A

Target/Specificity

This PDHE1A Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding S232 of human PDHE1A.

Dilution


WB~~1:5000 DB~~1:500

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C



Western blot analysis of lysates from C6 cell line, untreated or treated with CIP, 100ng/ml, using Phospho-PDHE1A(S232)
Antibody(upper) or Tubulin (lower).



Western blot analysis of lysates from 293 cell line, untreated or treated with CIP, 100ng/ml, using Phospho-PDHE1A(S232) Antibody(upper) or Tubulin (lower).



in small aliquots to prevent freeze-thaw cycles.

Precautions

Phospho-PDHE1A(S232) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-PDHE1A(S232) Antibody - Protein Information

Name PDHA1

Synonyms PHE1A

Function

The pyruvate dehydrogenase complex catalyzes the overall conversion of pyruvate to acetyl-CoA and CO(2), and thereby links the glycolytic pathway to the tricarboxylic cycle.

Cellular LocationMitochondrion matrix.

Tissue Location Ubiquitous.


Phospho-PDHE1A(S232) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Phospho-PDHE1A(S232) Antibody - Citations

- PINK1 Is a Negative Regulator of Growth and the Warburg Effect in Glioblastoma.
- JX06 Selectively Inhibits Pyruvate Dehydrogenase Kinase PDK1 by a Covalent Cysteine Modification.



Dot blot analysis of anti-mPDHE1A-S232 Phospho-specific Pab (Cat. #AP3758a) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.6ug per ml.