

Phospho-mouse CASP3(S12) Antibody
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP3778b

Specification

Phospho-mouse CASP3(S12) Antibody - Product Information

Application	DB,E
Primary Accession	P70677
Other Accession	NP_033940.1
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	31475

Phospho-mouse CASP3(S12) Antibody - Additional Information

Gene ID 12367

Other Names

Caspase-3, CASP-3, Apopain, Cysteine protease CPP32, CPP-32, LICE, Protein Yama, SREBP cleavage activity 1, SCA-1, Caspase-3 subunit p17, Caspase-3 subunit p12, Casp3, Cpp32

Target/Specificity

This mouse CASP3 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding S12 of mouse CASP3.

Dilution


DB~~1:500

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.



Dot blot analysis of Phospho-mouse CASP3-S12 Antibody Phospho-specific Pab (Cat. #AP3778b) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.6ug per ml.

Phospho-mouse CASP3(S12) Antibody - Background

This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta

Precautions

Phospho-mouse CASP3(S12) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-mouse CASP3(S12) Antibody - Protein Information

Name Casp3

Synonyms Cpp32

Function

Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-|-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Triggers cell adhesion in sympathetic neurons through RET cleavage (By similarity). Cleaves IL-1 beta between an Asp and an Ala, releasing the mature cytokine which is involved in a variety of inflammatory processes (By similarity). Cleaves and inhibits serine/threonine- protein kinase AKT1 in response to oxidative stress (PubMed:12124386).

Cellular Location

Cytoplasm.

Tissue Location

Highest expression in spleen, lung, liver, kidney and heart. Lower expression in brain, skeletal muscle and testis

4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein. [provided by RefSeq].

Phospho-mouse CASP3(S12) Antibody - References

Srikanth, C.V., et al. Science 330(6002):390-393(2010)
Li, F., et al. Cell Stem Cell 7(4):508-520(2010)
Wang, L., et al. J. Neurosci. 30(39):13201-13210(2010)
Gascon, E., et al. J. Neurosci. 30(37):12414-12423(2010)
Bohsali, A., et al. BMC Microbiol. 10, 237 (2010) :

Phospho-mouse CASP3(S12) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)