

HHAT Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP5503a

Specification

HHAT Antibody (N-term) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	Q5VTY9
Other Accession	NP_001116306.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit Ig
Calculated MW	57313
Antigen Region	30-59

HHAT Antibody (N-term) - Additional Information

Gene ID 55733

Other Names

Protein-cysteine N-palmitoyltransferase
HHAT, 231-, Hedgehog acyltransferase,
Melanoma antigen recognized by T-cells 2,
MART-2, Skinny hedgehog protein 1, HHAT,
MART2, SKI1

Target/Specificity

This HHAT antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 30-59 amino acids from the N-terminal region of human HHAT.

Dilution


WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.



HHAT Antibody (N-term) (Cat.#AP5503a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the HHAT antibody detected the HHAT protein (arrow).



HHAT Antibody (N-term) (Cat. #AP5503a) immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the HHAT Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Precautions

HHAT Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

HHAT Antibody (N-term) - Protein Information

Name HHAT

Synonyms MART2, SKI1

Function

Catalyzes N-terminal palmitoylation of SHH; which is required for SHH signaling. May bind GTP.

Cellular Location

Endoplasmic reticulum membrane;
Multi-pass membrane protein


Tissue Location

Ubiquitously expressed in normal tissues and cancer cell lines.

HHAT Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)



HHAT Antibody (N-term) (Cat. #AP5503a) flow cytometric analysis of K562 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

HHAT Antibody (N-term) - Background

'Skinny hedgehog' (SKI1) encodes an enzyme that acts within the secretory pathway to catalyze amino-terminal palmitoylation of 'hedgehog' (see MIM 600725).

HHAT Antibody (N-term) - References

Chamoun, Z., et al. Science
293(5537):2080-2084(2001)
Kawakami, Y., et al. J. Immunol.
166(4):2871-2877(2001)